



High Performance Snow & Ice Control Equipment



TAILGATE, INSERT HOPPER, DUMP TRUCK AND BROADCAST PREMIUM SPREADERS

Experience The Difference

TAILGATE SPREADERS

- Meyer Blaster.....2 – 5
- Meyer Mate6 – 7

INSERT HOPPER SPREADERS

- Insert Hoppers.....8 – 9
- Meyer Polyhawk.....10 – 11
- Meyer PV.....12 – 13
- Meyer MDV.....14 – 15

DUMP TRUCK SPREADERS

- Meyer UTG / RTG16 – 17

BROADCAST SPREADERS

- Hotshot
- Broadcast Spreaders.....18 – 19
- Walk-Behind Spreaders.....20 – 21

TAILGATE CROSS CONVEYOR

- Tailgate Cross Conveyor22-23

ANTI-ICER

- Meyer Anti-Icer.....24 - 25

ATV SPREADER

- Pull-Behind.....Back Cover

Meyer®

Experience The Difference

*"There is a difference.
You have my word on it."*



Andrew L. Outcalt

Andrew L. Outcalt
President, Meyer Products LLC

From snow to ice... Meyer has you covered.

Meyer Products has made a commitment to deliver the highest quality snow and ice control equipment in the industry. We've transformed the way we develop, design, manufacture and deliver every product we sell. That's why over the past few years we have undergone a complete transformation. The tradition continues with our full line of premium spreaders. Our spreaders are the perfect solution to controlling snow and ice, while maintaining lots and roadways. From the front to the back of your vehicle, look to Meyer...we have you covered.

Visit www.MeyerProducts.com for more information.



Some models shown with optional equipment.

A complete line of premium spreaders for a wide range of applications.

Meyer spreaders cover a wide range of products including compact, easy to maneuver broadcast spreaders that provide four-season performance.

Adding a spreader to your vehicle is a sound investment. Our versatile line of insert hopper or tailgate spreaders is the perfect choice with products that perfectly match any application.

From easy on/off mounting to wireless controllers, our dump truck line of spreaders adds functionality to your vehicle, while providing optimum performance.





Shown with optional halogen rear work and brake lights. Part #34610

QUICK FACTS

TYPE: Tailgate

VEHICLE: Light pick-ups to 1-ton pick-ups, tractors with 3-point hitch

CAPACITY: 350 lb, 750 lb

MATERIALS: Salt, 50/50 salt-sand, and sand

CONSTRUCTION: Polyethylene

The industry's best warranty protection

ROC WARRANTY **3/5**
3 YEARS* Standard
5 YEARS* On all structural steel and hopper

** Blaster Spreaders only with on-line registration.*

Meyer Blasters. More power. Greater reliability.

Meyer® Blaster™ Spreaders have the most powerful spreader motor available. The Blaster's unique ½ horsepower, direct-drive motor is rated at up to 70 amps of surge power to grind through those annoying chunks of salt or sand. And the direct-drive system applies the torque directly to the auger.

One-touch Auto Control

One-touch operation provides you total control over Blaster spreaders. The illuminated in-cab controller (patent pending) includes on/off switch, blast mode which provides an on-command 70 amp surge, and a vibrate mode. Regulate the spinner speed with the variable speed controller. Spinner stops automatically when brake is applied.



Replaceable automotive style fuses.

7 Blaster Mounts Available

Meyer mounts fit SUV's, light trucks and 1/2 ton+ vehicles.

Both 350 and 750 Models

- ▶ Receiver Mount (*most popular*)

350 Models

- ▶ 3-point Hitch Mount
- ▶ Flat Bed Utility Adapter
- ▶ Flat Bed Mount

750 Models

- ▶ Hinged Mount
- ▶ Dump Truck Mount
- ▶ Fixed Mount

Toughest motor available.

Originally designed for military use, the Blaster's 1/2 HP motor is the most powerful motor available today. The direct-drive system links the motor directly to the auger, creating up to 75% more auger power to easily grind through large chunks of material and provide an even material spread pattern.

- 1 Stainless steel shaft
- 2 Cast iron end bells
- 3 Double sealed ball bearings
- 4 Marine grade caulking at all joints
- 5 Water tight harness connections
- 6 Extra large armature and copper windings
- 7 Powder coat finish



Blaster Options



EZ-Swing Gate

Allows access to your vehicle bed by swinging the spreader out of the way. Mounts to the receiver hitch. PART # 35100



Motor Guard

Helps protect motor during use. When added to the 750R, it serves as a storage stand when the spreader is removed from the vehicle. PART #36407



Flow Gate Control

Sets the material flow rate based on the material being used. PART #34900



Hopper Screen

Prevents large chunks of material into the hopper. Improves material flow. 1/2" x 1/2" or 2" x 2" screen size available. PART #34701 (1/2"x 1/2") PART #34700 (2"x 2")



Meyer Blasters. Let you spread a wide variety of materials.

Meyer Blaster™ Spreaders features a flexible application system to spread different materials for meeting changing conditions. Utilizing different augers and options you can get the spreader that's right for you.



Blaster 350S

Create a material application system that's right for you.

We know that spreading a wide variety of material requires the spreader to have different performance characteristics. That's why Meyer Blaster Series Spreaders give you the ability to customize the configuration based on the type of material being spread. From auger options to vibrator kits, you can create the ultimate spreading machine.

Auger Options

Spiral Auger is perfect for spreading rock salt, calcium chloride and other ice melt materials. Comes standard on all models except 350S and 750S.

Fine Salt Auger Kit



This auger is designed to provide maximum performance when spreading fine salt without clogging or tunneling. Includes all mounting hardware. Recommended to be used with the sander/vibrator kit (Part #34600). Part #34118

Sander/Vibrator Kit

Standard on 350S and 750S models, lets you spread a 50/50 blend of rock salt and sand or sand only. Includes extended auger, vibrator, vibrator mounting plate, baffle plate and vibrator harness. Part #34600

Chain Auger Kit

Helps break up material and provide excellent flow when spreading sand and gravel mixes. Includes all mounting hardware. Recommended to be used with the sander/vibrator kit (Part #34600). Part #34109





QUICK FACTS

TYPE: Tailgate

VEHICLE: 3/4-ton + pick-ups, tractors with 3-point hitch

CAPACITY: 700 lbs (9.0 cu. ft.)

MATERIALS: Salt, 50/50 salt-sand, fertilizer, seed

CONSTRUCTION: Polyethylene

Meyer Mate XL.

Strap-mounted tailgate spreader attaches quickly without tools.

With a generous 9.0 cubic foot capacity (700 lbs), the Meyer® Mate™ attaches conveniently to your vehicle in minutes without tools. It comes fully assembled for quick installation to your truck's tailgate and bumper – with no drilling required. Various mounting choices are available including a swing-out option that moves the unit out of the way, allowing the owner to access the bed of the truck from the tailgate.

Mounts in minutes...No tools required.

The Mate conveniently mounts to the vehicle's tailgate in minutes with a heavy-duty, adjustable strap... no tools required. A built-in handle makes installation quick and easy.

Indestructible Poly Hopper

The Mate is molded entirely from polymer material and is strapped onto the tailgate. This means you'll get years of dependable, rust-free performance without having to drill or deface the vehicle.



Replaceable automotive style fuses.

One-touch Auto Control

One-touch operation provides you total control over Mate spreaders. The illuminated in-cab controller (patent pending) includes on/off switch, blast mode which provides an on-command 70amp surge, and a vibrate mode. Regulate the spinner speed with the variable speed controller. Spinner stops automatically when brake is applied.

Power, Direct Drive Motor

A commercial-duty 1/8 HP, 12V direct-drive motor drives the spinner directly off the motor drive shaft, providing positive, energy-efficient power to the agitator system for optimum performance and reliability.



Mate™ Options



3-Point Hitch

Allows the Mate to be used on agricultural equipment. PART #38200



Top Screen

Breaks up clumps to improve material flow. PART #38260



Motor Guard

Protect motor from damage. Mounts to receiver hitch. PART #38250



EZ-Swing Gate

Allows you to use the tailgate when Mate is attached. PART #38010



Medium-duty V-box spreader shown with optional equipment.

Insert Hopper Spreaders.

Meyer offers a complete and diverse line of insert hopper spreaders that are as varied as the conditions you run into everyday. From bed lengths to numerous drive options, these are just a few choices available with our complete insert hopper spreader line.

Meyer® has the insert hopper for you.

Choose your hopper body.

Poly



Stainless Steel



Carbon Steel



Choose your spreader's drive.



Electric

12V sealed motors



Engine over Hydraulic

Available in 10.5 HP Briggs & Stratton engine.



Gas

Available in 10.5 HP Briggs & Stratton engine or a 11.0 HP Honda engine.



Central Hydraulic

Utilizes your vehicles hydraulic system.

Choose your material.

Salt, sand, limestone, cinders or any free-flowing granular material.

The choice is yours.

Spreader Type	Hopper Body	Drive Options	Material Delivery System
Meyer Polyhawk	Poly	Electric, Engine over Hydraulic or Gas	Drag Chain
Meyer PV	Carbon Steel or Stainless Steel	Gas or Central Hydraulic	Drag Chain
Meyer LPV	Stainless Steel	Electric or Gas	Drag Chain
Meyer Utility LPV	Stainless Steel	Electric or Gas	Belt Over Chain
Meyer MDV	Carbon Steel or Stainless Steel	Gas or Central Hydraulic	Drag Chain



Polyhawk shown with optional equipment.

QUICK FACTS

TYPE: Insert Hopper

VEHICLE: ¾-ton –1-ton pick-up trucks

LENGTH: 8 foot

CAPACITY: 2.0 cubic yds

MATERIALS: Salt, 50/50 salt-sand, and sand

CONSTRUCTION: Polyethylene

Meyer Polyhawk.

LIMITED^{*}
10 YEAR
WARRANTY

Indestructible hopper provides years of maintenance-free service.

The Meyer® Polyhawk™ is designed to be your spreader not only for this season, but for many to come. Featuring an unprecedented ten-year warranty on the virtually indestructible polyethylene hopper, Meyer dares you to compare the features of the Polyhawk to any other poly hopper spreader on the market.

* 10 year warranty applies to poly hopper only.

Wireless Controls

Meyer includes a standard wireless controller for your gas spreader. No wires running underneath your vehicle. No drilling holes in your cab to mount a controller. Simply load your spreader in the back of your truck and you are ready to spread.

Our fully integrated wireless controller allows you to start and choke your engine as well as engage your drive system in a simple to use hand-held, wireless controller.



Swing-up Spinner

The Polyhawk's swing-up spinner assembly makes clean-up, material discharge and off-season storage convenient and easy.

Fork Pockets

Standard on the Polyhawk, fork pockets allow you to quickly install or remove the spreader from the vehicle using a forklift.

Spread material exactly where you need it.

With Meyer's two internal and four external baffle adjustment systems, you're able to put down material in the right place, every time. Whether you want to spread four feet to the left, four feet to the right, or spread a thirty foot pattern, you can easily adjust the spreading pattern to meet your unique demands.



Polyhawk Options



Poly Tarp Kit

Prevents moisture or foreign material from entering the hopper.
PART #63684



Sure-Flow™ Vibrator Kit

Delivers over 200 lbs. of force to break up stubborn materials and provide even material flow to the spinner.
PART #63390



Pick-up V-box shown with optional equipment.

PV/LPV/Utility LPV
QUICK FACTS

TYPE: Insert Hopper

VEHICLE:

¾-1 ton pick-up trucks (PV)
½-1 ton pick-up trucks (LPV)
utility vehicles (Utility LPV)

LENGTH: 7 and 8 foot (PV)

5, 6, 7 and 8 foot (LPV)
3 and 4 foot (Utility LPV)

CAPACITY: 1.8 - 2.0 cubic yds. (PV)
.56 - .96 cubic yds. (LPV)
.3 - .43 cubic yds. (Utility LPV)

MATERIALS: Salt, 50/50 salt-sand,
and sand

CONSTRUCTION:

Carbon or stainless steel (PV)
Stainless steel (LPV and Utility LPV)

Meyer PV.

Maximize the performance of your pick-up.

In the snow and ice control industry, time is money. So go with the leader in pickup truck spreaders...Meyer.® Our versatile line of insert hopper spreaders fit most utility vehicles to 1-ton pick-up trucks and share many of the same time-saving, long-lasting features of our larger MDV series spreaders. Meyer PVs are available in 7 and 8 foot lengths and have 1.8 and 2.0 cubic yard capacities.

The Meyer PV lets you take control.

Meyer's PV operating system is fully controlled from the comfort of the cab. The fully integrated wireless controller allows you to start and choke your engine and engage your drive system in a simple to use hand-held, wireless controller.





- 1 Adjustable Internal Baffles
- 2 Adjustable External Baffles

Puts material exactly where you need it.

Meyer's unique internal/external baffle system (*cutaway shown above*) lets you spread material exactly where you need to put it. The two internal and four external baffles let you spread four feet to the left or four feet to the right, or 30 foot center spread.



Inverted-V

Our inverted-V helps prevent material from bridging and slowing down the conveyor.



Drag Screen/Chain

Meyer includes many performance-enhancing components as standard. Our screens break up large clumps of material which can cause damage to the drag chain and reduce performance. In addition, we include bolt-in chain shields as standard to prevent material from building up in the drag chain and slowing you down.

Get more from your utility vehicle.

Looking to get more "utility" from your utility vehicle? Then look to Meyer's Utility LPV (low-profile v-box). This all-season belt-over-chain designed spreader conveniently fits into the back of today's most popular utility vehicles. It spreads fertilizer, seed, salt, sand and other top dressings with greater capacity and increased spreading width than hitch-mounted utility vehicle spreaders.

PV Options



30-gallon Liquid Pre-Wet System

Decreases salt consumption and reduces ice and snow melt time. PART #63938



Six-inch Side Extensions

Adds approximately .66 cubic yd. capacity to the spreader. PART #63924 (7ft. Carbon) PART #63895 (8ft. Carbon) PART #63925 (7ft. Stainless) PART #63926 (8ft. Stainless)



Sure-Flow™ Vibrator Kit

Delivers 200 pounds of force to break up even the most stubborn materials. PART #63390



Medium-duty V-box shown with optional equipment.

QUICK FACTS

TYPE: Insert Hopper

VEHICLE: 15,000 GVW and up

LENGTH: 9 foot and 10 foot

CAPACITY: 4.0 and 4.5 cubic yds.

MATERIALS: Salt, 50/50 salt-sand, and sand

MATERIAL MOVEMENT SYSTEM: Drag chain or Auger

CONSTRUCTION: Carbon steel or stainless steel



Fork Pockets.

Thanks to our patented fork pockets, no overhead crane is required to move your MDV in and out of your truck. All you need is a forklift to quickly install or remove it from a vehicle.

Meyer MDV.

Large capacity with unmatched versatility.

Your customers have demanded more and you plan on delivering. With a Meyer® Medium Duty V-box Spreader (MDV), you'll deliver quality ice control that separates the top dogs from the part-timers. For 15,000 + GVW vehicles, Meyer's MDV is designed to give you increased material capacity and more versatility.

Spinner swings up and out of the way.

Our no-tools-required swing up spinner easily swings up and out of the way for ease of storing the unit flat. Another added benefit of the swing up spinner is at the end of a shift, you can easily unload any material left in the hopper by simply swinging up the spinner and running the conveyor.



Internal/External Baffle

Spreading material where you want it is not a problem with two internal and four external baffles. These easy-to-adjust baffles can be changed in seconds to meet your unique demands..



DROP N LOC Screen

Our Drop N Loc top screens break up large clumps of material which can cause damage to the drag chain and reduce performance.



Wireless Controls

Start and choke your engine and control all spreader functions from inside the warmth of your cab with our easy-to-use controller.

MDV Options



Hydraulic Auger System

Delivers a more even flow of material to the spinner with less moving parts to maintain.

PART #63615 (MDV944)
PART #63619 (MDV1044)



60-gallon Liquid Pre-Wet System

Decreases salt consumption and reduces ice and snow melt time.

PART #64131



12-inch Side Extensions

Adds approximately 2.0 cubic yd. capacity to the spreader.

PART #64127 (MDV944 Carbon)
PART #64129 (MDV1044 Carbon)
PART #64128 (MDV944 Stainless)
PART #64130 (MDV1044 Stainless)



Sure-Flow™ Vibrator Kit

Delivers 200 pounds of force to break up even the most stubborn materials.

PART #63390



Under Tailgate shown with Hydraulic Interlock System.



Replaceable Tailgate

QUICK FACTS

TYPE: Dump Truck Tailgate

VEHICLE: Medium-duty dump trucks (15,000 GVW and up)

INSIDE DUMP BODY WIDTH:

RTG: 78" - 84"

RTG-XL: 84" - 90"

UTG: 88" or 96"

MATERIALS: Salt, 50/50 salt-sand, and sand

MOTOR: Electric or Hydraulic

DISCHARGE OPTIONS:

Driver's Side: Electric or Hydraulic
Center: Electric

CONSTRUCTION: Carbon steel or stainless steel

Meyer UTG/RTGs.

Turn medium-duty dump trucks into high performance salt spreaders.

Getting a good return on your dump truck is important. That's why Meyer® makes the very best Under Tailgate Spreaders (UTG) and Replaceable Tailgate Spreaders (RTG) available. Both spreaders use a combination of a self contained auger with removable spinners. And with or without central hydraulics, our electric tailgate model can easily be added to any dump truck.

To determine which unit is the best fit for you.


First, how much ground clearance do you have from the floor of the dump bed to the ground? If you have less than 44 inches, you need Meyer's Replaceable Tailgate Spreader. If you have 44 inches or more of clearance, you don't need to replace the tailgate, use a Meyer UTG. This unit mounts below the dump body to allow normal dump body operations when the spreader is not in use, saving time by eliminating in-season installation.

Safety Interlock System.

Our Safety Interlock System (electric or hydraulic) – disables the auger when opening the bottom door – maintenance work becomes much safer and easier.



Shown with Electric Interlock System.



Top/Bottom Cleanout

Spinners are easily removed without any tools and a hinged bottom door makes clean out and blockage removal much easier. Paired with our Electric Safety Interlock System, cleaning and maintenance is much safer.



Adjustable Spinner

Adjustable spinner frame on hydraulic models allows you to easily change the height of the spinner mechanism.



Controller


Meyer makes spreader control easy with a fully integrated variable speed controller.



Center discharge for complete lane coverage.

A Meyer exclusive.

Whether you need a UTG or RTG, Meyer electric dump truck spreaders are perfect for parking lots because the center drop allows for complete lane coverage. It's only available from Meyer.





Hotshot 100 HD

QUICK FACTS

TYPE: Walk-behind broadcast spreader

CAPACITY: 70 lbs, 100 lbs

MATERIALS: Salt, 50/50 salt-sand, and sand

CONSTRUCTION:

Hopper – polypropylene

Frame – carbon steel or stainless (HD)

Meyer Hotshots. All-season Broadcast Spreaders.

If you are looking for a heavy-duty broadcast spreader for all-season use, look no further. Meyer® Hotshots™ are compact, easy to maneuver and built to handle the extreme conditions of year-round use.

Designed to apply a variety of materials

Hotshots are designed to apply a variety of materials including top-dress sand, rock salt, ice melt, limestone and fertilizer. Maximum spread range is from 12- to 18-feet, depending on the model. For spreading in confined areas, Hotshots are equipped with an easy-to-remove deflector shield that prevents the material from flying too far. And all three Hotshot models feature ice-gripping tread pattern tires for enhanced traction.



Hotshot Features



Spreader Cover

Provides maximum protection from the elements keeping your materials dry and free flowing.



Hotshot Salt Shield

Prevents the material from spreading in unwanted areas. Standard on all Hotshots.



Self-Lubricating Bearings

The axle and wheel bearings/bushings provide self-lubrication with excellent wear and load-carrying performance.



Easy Read Dial

Adjust the material flow rate with the easy-to-read dial.



QUICK FACTS

DROP SPREADER: Walk-behind spreader

CAPACITY: 100 lbs

MATERIALS: Salt, 50/50 salt-sand, and sand

CONSTRUCTION:
Hopper – stainless steel
Frame – carbon steel

Meyer® Hotshot™ Drop Spreader Walk-Behind Stainless Steel

Perfect for spreading material on walkways, paths, or anywhere you need exact material placement. Hopper and major components are constructed using corrosion resistant stainless steel. Spreads salt, sand or 50/50 mixture of salt/sand.

Smooth, even flow dispersion

Inverted-V and other major components are constructed using corrosion resistant stainless steel.



Hotshot Drop Spreader Features



Adjustable Material Flow

Place the right amount of material exactly where you want it with the adjustable flow gate control.



Salt Crusher

Specially designed auger crushes clumps of salt so you get even material flow from the spreader.



Winter Tires

Includes winter gripping tires for better traction and safety on snow and ice.



Spreader Cover

Keeps material dry and free flowing.



TYPE: Hand-held spreader

CAPACITY: 5 lbs

MATERIALS: Ice-melt, fertilizer or seed

CONSTRUCTION: Poly

Hotshot Hand-held Crank Spreader

This professional spreader holds up to 5 lbs. of ice melt products. It's easy to use: set the dial, pull the trigger then rotate the lever in a clockwise position. To stop material output, simply let go of the trigger. Spreads ice-melt, fertilizer or seed for true four-season performance.



QUICK FACTS

TYPE: Dump Truck Tailgate

VEHICLE: 15,000 GVW and up

WIDTH: 102 inches

FLOW RATE: 240 tons/hr.

MOTOR: Central hydraulics

MATERIALS: Asphalt, granular materials

CONSTRUCTION: Carbon steel or stainless steel

Meyer Tailgate Cross Conveyor. Conveys hot or cold material on medium-duty vehicles.

The Meyer® Cross Conveyor is the most efficient method of distributing granular or asphalt material on the market today. Whether you are shouldering material, filling a ditch, patching asphalt, or spreading sand*, this heavy-duty conveyor system performs like a workhorse while saving you labor, time and material.

**Requires optional spinner attachment. Not recommended for straight salt application.*

Ease-to-use

Unit mounts below the dump body to allow normal dump body operations when spreader is not in use which saves time by eliminating in season installations and maximizes year-round equipment investment.



- Driver and Passenger side feedgates allow material to be discharged from either side.*
- Quick detach 24-inch Extension can be removed easily without any tools
- Hinged top cover makes dump truck functional during non spreading operations

** Requires optional spinner attachment. Not recommended for straight salt application.*

Tailgate Cross Conveyor Features



High Temperature Belt Over Chain

High temperature, belt-over chain conveyor makes dump truck functional during non-spreading activities.



24" Extension


Can be mounted on either side for optimal material flow.



Screw-type Gate Jacks

Allows material output adjustment when loaded.

Tailgate Cross Conveyor Options



Spinner Attachment Kit

The Spinner Attachment Kit includes everything you need to spread sand or sand/salt mix. PART #63959



4-ft. Motorized Conveyor

Extension extends material drop location approximately 4-ft. for moving a variety of materials for shouldering and trench filling applications. PART #63960



Rear Light Bar Kit

Includes stop, turn and tail lights, three light cluster, junction box and both halves of the 7 pin trailer plug. PART #63957



Hitch-mounted boom with stainless steel cover features 5 nozzles with 3 spray patterns

QUICK FACTS

TYPE: Anti-Icer

VEHICLE: 1/2-ton + pick-ups, utility vehicles (100 gal.)

CAPACITY: 100, 200, 300 and 400 Gallon

MATERIALS: Sprays anti-ice, dust control, herbicide and pesticide

MOTOR: 6.5 HP, electric start

PUMP: 8-20 GPM at 60 psi

Meyer[®] Anti-Icers.

Meyer's unique space saving tank design Anti-Icer fits between the wheel wells of the vehicle and cab, allowing you to utilize the bed to carry other material or equipment. Available in 100 to 400 gallon capacities, our anti-icers feature 5 adjustable nozzles with 3 spray patterns for each, jet tank agitation and wireless controls.

Space Saving Tank Design

The unique tank design fits between the wheel wells of the vehicle and cab allowing you to carry other material or equipment. The hopper is secured with an easy-to-remove tension bar.



Anti-Icer Features



Wireless Controls

Wireless control of all functions from inside the cab.



Quick Removal Spray Bar with Adjustable Spray Nozzles

Hitch mounted spray bar can easily be removed.



Adjustable Spray Nozzle

Spray boom features 5 hand adjustable spray nozzles for precise material placement. Each nozzle features 3 different spray patterns.



Adjustable Spray Gun/ Manual Hose Reel

Features multiple spray nozzles, with extra-long 150 ft. hose, for anti-icing foot traffic areas such as sidewalks and steps.



Optional Electric Hose Reel with Stainless Steel Roller Guides

Makes clean-up quick and easy by pressing one button for rewinding hose.

Easily fits in utility vehicles

The 100 gallon unit fits in most utility vehicles.



Reservoir Capacity

Available in 100, 200, 300 and 400 gallon capacities.

200 GAL. CAPACITY
(shown right)



Add a Blaster to make it easy to spread material, anti-ice or pre-treat rock salt at the spinner without changing equipment.

QUICK FACTS

TYPE: Rear rack mount

VEHICLE: ATV

CAPACITY: 125 lbs

MATERIALS: Salt, calcium chloride, fertilizer and seed

CONSTRUCTION: Polyurethane hopper, powder painted carbon steel frame



Turn your ATV into a winter work horse.


The Meyer BL-125 spreader is the perfect choice for those who want an economical, yet full-functioning, spreader for the back of their ATV vehicle. The BL-125's low profile allows salt, calcium chloride, fertilizer and seed to disperse closer to the ground allowing better control of material output. Pair the BL-125 Spreader with a Meyer Path Pro plow on your ATV and you have the perfect snow removal work horse.



Adjustable Salt Shield
controls material output.



Universal ATV Mounting Bracket
fastens to a wide variety of ATVs. Spreader attaches/detaches from mount in seconds and is secured with locking pins.



Covered elevated motor and hopper
ensures reliable performance.

DISTRIBUTED BY:



Experience The Difference

For the latest product information, visit:
www.meyerproducts.com



Meyer Products LLC

18513 Euclid Ave.
Cleveland, Ohio 44112
Phone: 216-486-1313
Fax: 216-486-1321

REMARKABLE CUSTOMER SUPPORT

For 24 hour product information, our website www.meyerproducts.com is the best place to start, and a great resource for Maintenance Tips, Troubleshooting, FAQs, Service Locations, Operation and Maintenance Manuals, EZ-Match, and a full line of spreader accessories.

If you need service or have a question about the performance of your Meyer Equipment, contact your local authorized Meyer retailer.

PLOW NOW. PAY LATER!

Retail financing is available at participating distributors. Contact your local distributor for more details.