MEYER OFF-ROAD VEHICLE PRODUCT GUIDE | 2015



Table of Contents

| Introduction | | 1 |
|--------------------------------|------|-----|
| Off-Road Vehic Product Line | | 2-3 |







Plows for Heavy-Duty UTVs, Compact Tractors and Airport Tractors.......7-9





Plows for Compact/Utility Tractors and Skid Steers......10-13





Plows for Compact/Utility Tractors and Skid Steers......10-13

Plow Accessories 14-16


Accessories

Reference Guide 17-20



Off-Road Vehicle Spreaders21





Meyer fits the biggest names in the off-road business.









GEHL





Kawasaki





Kubota











1

MEYER OFF-ROAD VEHICLE PLOW PRODUCT LINE

Your Off-Road Vehicle Plow Source

Meyer is your one source for all off-road vehicle plows. Being a leader in the industry for over 87 years allows us to offer the widest variety of plows in the industry that can fit virtually any application. Our plows exceed industry standards so they are guaranteed to perform better and last longer than non-commercial plows. You'll see our quality in the details. It's the only way we know how to build plows – strong, reliable and easy-to-use.



Designed to fit into tight areas where large vehicles can't reach. They feature flared wings, inspired by highway plows, to help remove snow faster than any other plow on the market. Available in 50," 60" and 72" lengths.







Meyer PRO

Compact, contractor-grade plow for smaller vehicles. Receiver hitch version available with full hydraulics or self-angle to help maximize snow removal efficiency. Available in 5, 6, 6, 6, 8" and 7'6" (full hydraulic only) lengths.





Contractor-grade, full-trip plow featuring the tallest moldboard in its class for fast snow removal. Adding optional multi-position wings allows the plow to adjust to a straight, scoop or box plow configuration. Lot Pro plows are available in 7'6" to 10' lengths.





Contractor-grade plow featuring a trip-edge that allows the moldboard to remain upright and performing, while the lower portion gives way when major obstacles are struck. Available in 7'6" to 9' lengths.











Mounting Methods by Plow and Vehicle Type

Mounts for Path Pro Series



^{*} Custom mount in addition to universal mount may be required for certain vehicles.

Mounts for Drive Pro Series



Mounts for Lot Pro and Diamond Edge Plows



How to Choose the Right Size Plow

Meyer recommends installing a plow wider than the outside edge of the vehicle's track when the plow is at full angle. Meyer offers a variety of plow widths allowing you to order the correct size plow for your vehicle and application.



When selecting a plow for ATVs, Light-duty UTVs and ZTRs

| Track Width | Recommended Plow Models |
|-------------|-------------------------|
| 30" - 44" | Path Pro (PP-50") |
| 45" - 53" | Path Pro (PP-60") |
| 54" - 62" | Path Pro (PP-72") |

When selecting a plow for Heavy-duty UTVs

| Track Width | Recommended Plow Models |
|-------------|-------------------------|
| 48" | Drive Pro (DP 5.0) |
| 48"- 60" | Drive Pro (DP 6.0) |
| 60" and up | Drive Pro (DP 6.8) |

When selecting a plow for a Compact Tractor or Skid Steer

| Track Width | Horse Power | Recommended Plow Models | | | |
|-------------|----------------|--|--|--|--|
| | 20-30 HP | DP 6'0", DP 6'8" | | | |
| up to 48" | 30-45 HP | DP 6'8", DP 7'6" | | | |
| up to 46 | 45-75 HP | LP 7'6", LP 8'0" | | | |
| | 75 HP and over | LP 8'0", LP 9"0", LP 10'0" | | | |
| | 20-30 HP | DP 6'8" | | | |
| 49" to 66" | 30-45 HP | DP 7'6" | | | |
| 49 10 00 | 45-75 HP | LP 7'6", LP 8'0" | | | |
| | 75 HP and over | 0 HP DP 6'0", DP 6'8" 5 HP DP 6'8", DP 7'6" 5 HP LP 7'6", LP 8'0" 0 HP DP 6'8" 5 HP DP 7'6" 5 HP DP 7'6" 5 HP LP 7'6", LP 8'0" 1 LP 8'0", LP 9"0", LP 10'0" 0 HP DP 7'6" 5 HP LP 7'6", LP 8'0" 1 LP 8'0", LP 9"0", LP 10'0" 0 HP Not Recommended 5 HP DP 7'6", LP 7'6" 5 HP LP 7'6", LP 8'0" | | | |
| | 20-30 HP | Not Recommended | | | |
| 67" and un* | 30-45 HP | DP 7'6", LP 7'6" | | | |
| 67" and up* | 45-75 HP | LP 7'6", LP 8'0" | | | |
| | 75 HP and over | LP 8'0", LP 9'0" LP 10'0" | | | |

^{*}End user needs to verify that blade covers track width at full angle.

PLOWS FOR ATVs, LIGHT-DUTY UTVs AND ZTRs

PATH PRO

The perfect plow for these vehicles:











The Path Pro is perfect for clearing snow in tight areas where other plows can't go.

Now you can have a commercial grade plow for smaller off-road vehicles. Path Pro plows are built take the punishment less expensive brands can't handle. For performance and reliability there is nothing like it on the market.



Raising/lowering the blade.

ATVs / UTVs Vehicles

Optional Manual Lift Kit

Can be used on ATVs or UTVs only. Kit raises and lowers the plow when a power winch is not available. Reversible handle can be installed on the right- or left-hand side. (Part #13860)

Power Winch

Attaching a power winch to the Path Pro frame allows you to raise and lower the blade. Power winches are standard equipment on many vehicles.



ZTRs

ZTR Foot Pedal

Path Pros utilize the existing ZTR decklift foot pedals to raise and lower the blade.





Path Pro's unique highway plow design clears snow faster from sidewalks and tight areas.

The Meyer Path Pro is a commercial-grade, full-trip plow available in 50", 60" or 72" widths. Path Pro's 65-degree attack angle scrapes the surface more cleanly than standard non-commercial straight blades. Shop around and you will find there's nothing like it on the market.



Scoop & Funnel™ highway plow inspired design.

The highway-plow inspired flared wings scoop and funnel the snow faster and throws it farther than competitive blades.




Patented Self-Angling or Lock-n-Go... Both standard on the Path Pro.

SELF-ANGLING



Only the Path Pro comes with automatic self-angling. Self-angling senses which side of the plow is gathering the most snow, then automatically angles the blade in that direction. Perfect if you don't want to leave the vehicle or...







LOCK-N-GO SYSTEM



Universal Mounting System...for any kind of ATV, UTV or ZTR.

The Path Pro comes with brackets to easily and securely attach it to just about any ATV, light-duty UTV or ZTR. The brackets are designed to provide maximum ground clearance once the plow is attached.





PLOWS FOR ATVs, LIGHT-DUTY UTVs AND ZTRs

TO ORDER, USE THE COMPLETE KIT NUMBER.

*COMPLETE KITS INCLUDE > Moldboard > Pivot Bar > Push Frame > Universal Mount > Hardware



ATV PLOW ORDER INFORMATION AND SPECIFICATIONS

| Complete Kit* # | Plow Model # | Mounting Type | Blade Type | Moldboard Length | Moldboard Height | Moldboard Gauge | Vertical Ribs | Plow Trip Springs | Steel Cutting Edge | Average Width at Full Angle | Self Angling Rams | Weight Complete |
|-----------------|-----------------|------------------|---------------|---------------------|---------------------|--------------------|------------------|----------------------|--------------------------|-----------------------------|--------------------------------|--------------------|
| 29000 | PP-50 | Universal ATV | Path Pro | 50" | 16.25"-17.5" | 14 Steel | 4 | 2 | 1/4" x 5" | 43.3"-47.4" | 3/4" x 6-1/4" Spring Loaded | 138 lbs. |
| 29100 | PP-60 | Universal ATV | Path Pro | 60" | 16.25"-17.5" | 14 Steel | 4 | 2 | 1/4" x 5" | 51.9"-56.1" | 3/4" x 6-1/4" Spring Loaded | 148 lbs. |



LIGHT-DUTY UTV PLOW ORDER INFORMATION AND SPECIFICATIONS

| Complete Kit [†] # | Plow Model # | Blade Type | Moldboard Length | Moldboard Height | Moldboard Gauge | Vertical Ribs | Plow Trip Springs | Steel Cutting Edge | Average Width at Full Angle | Self Angling Rams | Weight Complete |
|-----------------------------|-----------------|------------|---------------------|------------------|--------------------|------------------|-------------------------|--------------------------|-----------------------------|--------------------------------|--------------------|
| 29005 | PP-50 | Path Pro | 50" | 16.25"-17.5" | 14 Steel | 4 | 2 | 1/4" x 5" | 43.3"-47.4" | 3/4" x 6-1/4" Spring Loaded | 138 lb. |
| 29105 | PP-60 | Path Pro | 60" | 16.25"-17.5" | 14 Steel | 4 | 2 | 1/4" x 5" | 51.9"-56.1" | 3/4" x 6-1/4" Spring Loaded | 148 lb. |
| 29205 | PP-72 | Path Pro | 72" | 16.25"-17.5" | 14 Steel | 4 | 2 | 1/4" x 5" | 62.4"-66.5" | 3/4" x 6-1/4" Spring Loaded | 170 lb. |

[†] Polaris Razor (2011 and up) requires Part #08913 for mounting the plow to the vehicle. It must be ordered in addition to the Complete Kit.



ZTR PLOW ORDER INFORMATION AND SPECIFICATIONS

| Complete Kit* # | | t* # | | Fits | Moldboard | Moldboard | Moldboard | Vertical | Plow Trip | Steel Cutting | Average Width at | Self Angling | Weight |
|--------------------|--------------------|--------------------|---------------------------|-----------|-----------|------------------------------------|-----------|----------|-----------|------------------|---------------------|--|----------|
| 50" | 60" | 72" | ZTR Model | Years | Length | Height | Gauge | Ribs | Springs | Edge | Full Angle | Rams | Complete |
| 29015 | 29115 | 29215 | ExMark Lazer Z (X series) | 2011 & up | | | 14 Steel | 4 | | | 43.3"-47.4" | 3/4" x 6-1/4" Spring Loaded | |
| 29010 | 29110 | 29210 | Scag Cheeta | 2010 & up | 50" | 16.25"-17.5" | | | 2 | 1/4" x 5" | | | 138 lb. |
| 29015 | 29115 | 29215 | Scag Tiger Cat | 2010 & up | | | | | | | | | |
| 29010 | 29110 | 29210 | Scag Turf Tiger | 2010 & up | | 60" 16.25"-17.5" 72" 16.25"-17.5" | | 4 | 2 | 1/4" x 5" | 51.9"-56.1" | 3/4" x 6-1/4" Spring Loaded 3/4" x 6-1/4" Spring Loaded | 148 lb. |
| 29010 | 29110 | 29210 | Bob Cat ProCat SE | 2011 & up | 60" | | 14 Steel | | | | | | |
| 29015** + 08915 | 29115** + 08915 | 29215** + 08915 | Husqvarna PZ 54 | 2012 & up | | | | | | | | | |
| | 29115** + 08916 | 29215** + 08916 | Kubota ZD331 | 2012 & up | 72" | | 14 Steel | 4 | | | | | 170 lb. |
| | 29115** + 08917 | 29215** + 08917 | Grass Hopper 430D | 2012 & up | | | 110001 | | | | | | 17010. |

^{**} Need to order both numbers for Complete Kit.

For available Path Pro accessories, see pages 17-20

Go to **www.meyerproducts.com** and visit our EZ-Match Tool for current application recommendations.

PLOWS FOR HEAVY-DUTY UTVs, COMPACT TRACTORS AND AIRPORT TRACTORS





Drive Pro full-trip moldboards are designed to give way, absorbing the impact caused by snow covered objects like uneven sidewalks, protecting equipment and ensuring operator safety.

driveways or any space where a pick-up truck isn't appropriate. This

contractor-grade plow is available in four moldboard sizes - 5', 6',

6' 8", and 7'6".




See page 21 for spreaders that fit UTVs and Tractors.

used to mount to compact tractors.



Better performance by design.

The aggressive blade design and taller moldboard removes snow faster and quicker than any other competitive plow.



Lightweight but tough.

Just like our larger contractor plows, Drive Pro plows feature heavy-duty frames, pivot bars and components to take the day-to-day pounding that plowing delivers.



Full-trip moldboard.

The entire moldboard trips when obstacles are encountered during plowing, saving wear and tear on the vehicle and protecting the driver.



Contractor-grade plows for today's hard working vehicles.

With an aggressive attack angle and taller moldboard, Drive Pro plows make quick work of removing snow on sidewalks, driveways or any tight area, making your Compact tractor, Heavy-duty UTV or Airport Tractors more valuable and productive.

DRIVE PRO MOUNT AND MOVEMENT BY VEHICLE TYPE

| Vehicle Type | Mount Type | Angling Method | Up/Down Method |
|---------------------|--------------------------------|-----------------------------|---------------------|
| Heavy-Duty UTV | Front receiver 2", Class 3 | Self angle* or power angle* | Meyer hydraulic* |
| Compact Tractor | Universal attachment plate* | Central hydraulic | Vehicle loader arms |
| Airport Tractor | Custom | Power angling rams* | Meyer hydraulic* |

^{*} Included in kit

PLOWS FOR HEAVY-DUTY UTVs, COMPACT TRACTORS AND AIRPORT TRACTORS



HEAVY-DUTY UTVs REQUIRE A 2" RECEIVER HITCH MOUNT THAT IS VEHICLE SPECIFIC FOR ATTACHING THE PLOW. WHEN ORDERING, USE THE COMPLETE KIT NUMBER AND THE 2" RECEIVER MOUNT NUMBER FOR YOUR SPECIFIC VEHICLE. SEE CHARTS BELOW.

HEAVY-DUTY UTV PLOW ORDER INFORMATION AND SPECIFICATIONS

| Complete Kit # | Description | Moldboard Length | Moldboard Height | Average Width at Full Angle | Weight Complete |
|----------------|--------------------------------------|------------------|------------------|--------------------------------|--------------------|
| 27500 | Self-Angle | 5'0" | 22.5" | 54" | 277 lb. |
| 28500 | Power-Angle | 5'0" | 22.5" | 54" | 285 lb. |
| 28530 | Power-Angle with Central Hydraulic** | 5'0" | 22.5" | 54" | 285 lb. |
| 27510 | Self-Angle | 6'0" | 22.5" | 65" | 301 lb. |
| 28510 | Power-Angle | 6'0" | 22.5" | 65" | 301 lb. |
| 28540 | Power-Angle with Central Hydraulic** | 6'0" | 22.5" | 65" | 301 lb. |
| 27520 | Self-Angle | 6'8" | 22.5" | 72" | 301 lb. |
| 28520 | Power-Angle | 6'8" | 22.5" | 72" | 301 lb. |
| 28550 | Power-Angle with Central Hydraulic** | 6'8" | 22.5" | 72" | 301 lb. |

^{**} Utilizes the vehicles existing central hydraulic system. NOTE: Heavy-duty UTVs must be equipped with a front receiver 2", class 3 hitch

HEAVY-DUTY 2" RECEIVER HITCH PLOW VEHICLE MOUNTS FOR HEAVY-DUTY UTVs

| Class 3, Front 2" Receiver Hitch Mount* | Manufacturer | Model | Year Range |
|---|----------------------|-----------------------|-------------|
| FHK 45793 6" Extension | Kubota | RTV 500, 900, 1100 | 2009 & up |
| 09002 | Polaris (full sized) | Ranger 800, 4x4 & 6x6 | 2009 & up |
| 09000 | John Deere | HPX | 2010 & up |
| FHK 45058 2" Drop | John Deere | XUV | 2010 & up |
| FHK 45058 2" Drop | John Deere | 625i, 825i, 855d | 2012 & up |
| 09005 | Kawasaki | Mule 4000, 4010 | 2010 – 2012 |
| 09006 | Kawasaki | Teryx | 2011 & up |
| 09002 | Bobcat | 3400, 3450 | 2010 & up |
| 09003 | New Holland | Rustler 120, 125 | 2009 & up |
| 09003 | Case | Scout 120 | 2009 & up |
| 09004 | Honda | Big Red | 2009 & up |

Class 3 front 2" receiver hitch must be mounted between 10-13" to the centerline of the hitch.



COMPACT TRACTOR ORDER INFORMATION AND SPECIFICATIONS

| COMPLETE KIT* INCLUDES: Moldboard > Plow Frame > Hydraulic Power Angle Kit > Universal Attachment Plate | | | | | | | | | | | |
|---|---------------|---------------|---------------------|---------------------|--------------------|------------------|---------------------|------------------------------------|-----------------------------------|-----------------|---------------------|
| Complete Kit* # | Plow Model | Blade Type | Moldboard Length | Moldboard Height | Moldboard Gauge | Vertical Ribs | PlowTrip Springs | Steel Cutting Edge | Average Width at Full Angle | Angling Rams | Weight† Complete |
| 51100 | DP-5.0 | Full-Trip | 5' 0" | 22.5" | 14 Steel | 6 | 2 | 1⁄4" x 6" | 54.5" | 1½" x 10" | 330 lb. |
| 51105 | DP-6.0 | Full-Trip | 6' 0" | 22.5" | 14 Steel | 6 | 2 | 1⁄4" x 6" | 65" | 1½" x 10" | 350 lb. |
| 51110 | DP-6.8 | Full-Trip | 6' 8" | 22.5" | 14 Steel | 6 | 2 | 3/ ₈ " x 6" | 72" | 1½" x 10" | 375 lb. |
| 51115 | LPLD-7.6 | Full-Trip | 7' 6" | 28" | 14 Steel | 6 | 2 | ³ / ₈ " x 6" | 81" | 1½" x 10" | 575 lb. |



AIRPORT TRACTOR ORDER INFORMATION AND SPECIFICATIONS

| COMPLETE KIT* INC | wer Angle | wer Angle/Lift Kit > Universal Mounting Carton | | | | | | | | | |
|-------------------|---------------|--|---------------------|---------------------|--------------------|---------------|----------------------|------------------------------------|-----------------------------------|-----------------|---------------------------------|
| Complete Kit* # | Plow Model | Blade Type | Moldboard Length | Moldboard Height | Moldboard Gauge | Vertical Ribs | Plow Trip Springs | Steel Cutting Edge | Average Width at Full Angle | Angling Rams | Weight [†] Complete |
| 52550 | DP-5.0 | Full-Trip | 5' 0" | 22.5" | 14 Steel | 6 | 2 | 1⁄4" x 6" | 54.5" | 1½" x 10" | 330 lb. |
| 52555 | DP-6.0 | Full-Trip | 6' 0" | 22.5" | 14 Steel | 6 | 2 | 1⁄4" x 6" | 65" | 1½" x 10" | 350 lb. |
| 52560 | DP-6.8 | Full-Trip | 6' 8" | 22.5" | 14 Steel | 6 | 2 | 3/ ₈ " x 6" | 72" | 1½" x 10" | 375 lb. |
| 52565 | DPSP-7.6 | Full-Trip | 7' 6" | 26" | 14 Steel | 6 | 2 | ³ / ₈ " x 6" | 81" | 1½" x 10" | 575 lb. |

For available Drive Pro accessories, see pages 17-20

Go to www.meyerproducts.com and visit our EZ-Match Tool for current application recommendations.

NOTE: The addition of a front accessory bumper kit may prohibit the installation of a Drive Pro.





Lot Pro and Diamond Edge Plows keep your equipment moving all year round.

Extend the capabilities of your tractor or skid steer by adding a Meyer full-trip Lot Pro or a Diamond Edge trip-edge plow. These vehicles have the power to push large amounts of snow and Meyer moldboards are designed to make the task even easier.







Heavy-duty Agricultural Tractor (H.A.T) mounts are used on utility tractors.



See page 21 for spreaders that fit Tractors.





Full-trip or trip-edge – the choice is yours.



Full-trip allows the entire moldboard to trip when an obstacle is struck. This reduces the wear and tear on the vehicle and driver.



Trip-edge keeps the moldboard upright, while the lower portion gives way when obstacles are struck, so you can keep plowing without losing the load. It absorbs and dissipates the shock caused by obstructions saving damage to the vehicle and driver.



Highway plow inspired black iron.

Lot Pro and Diamond Edge plows feature a robust, tubular steel A-frame and pivot bar to create a stronger, better performing plow.



Create your own configuration.

Our optional multi-position wings can be positioned independently to create a box, scoop or straight blade plow greatly improving the performance and efficiency. Highly recommended for skid steers.


LOT PRO, DIAMOND EDGE MOUNT AND MOVEMENT BY VEHICLE TYPE

| Vehicle Type | Mount Type | Angling Method | Up/Down Method |
|-----------------|--|---|---------------------|
| Compact Tractor | Universal attachment plate* | Central hydraulic | Vehicle loader arms |
| Utility Tractor | Heavy-duty Agricultural Tractor (H.A.T.)* | Central hydraulic or Meyer hydraulic | Meyer hydraulic* |
| Skid Steers | Universal attachment plate* | Meyer power* or manual angling rams* | Vehicle loader arms |

^{*} Included in kit

Tall moldboards and aggressive attack angles make it easier to move snow faster than ever before.











TO ORDER, USE THE COMPLETE KIT NUMBER.



COMPACT TRACTOR ORDER INFORMATION AND SPECIFICATIONS

| COMPLETE KIT* II | NCLUDES: | Moldboa | rd > Plow | Frame > F | łydraulic P | ower Ang | le Kit 🔰 Uni | iversal Attach | ment Plate | | |
|------------------|------------|------------|---------------------|---------------------|--------------------|------------------|----------------------|-----------------------|-----------------------------------|-----------------|---------------------------------|
| Complete Kit* # | Model | Blade Type | Moldboard Length | Moldboard Height | Moldboard Gauge | Vertical Ribs | Plow Trip Springs | Steel Cutting Edge | Average Width at Full Angle | Angling Rams | Weight [†] Complete |
| 51120 | LP-7.5 | Full-Trip | 7' 6" | 32" | 12 Steel | 6 | 4 | ½" x 6" | 81" | 1½" x 10" | 661 lb. |
| 51125 | LP-8.0 | Full-Trip | 8' 0" | 32" | 12 Steel | 6 | 4 | ½" x 6" | 86" | 1½" x 10" | 735 lb. |
| 51130 | LP-8.5 | Full-Trip | 8' 6" | 32" | 12 Steel | 6 | 4 | ½" x 6" | 92" | 1½" x 10" | 753 lb. |
| 51135 | LP-9.0 | Full-Trip | 9' 0" | 32" | 12 Steel | 6 | 4 | ½" x 6" | 97" | 1½" x 10" | 772 lb. |
| 51140 | RP-32-9.0 | Full-Trip | 9' 0" | 32" | 10 Steel | 6 | 6 | ½" x 6" | 97" | 2" x 12" | 845 lb. |
| 51145 | RP-32-10.0 | Full-Trip | 10' 0" | 32" | 10 Steel | 6 | 6 | ½" x 6" | 103" | 2" x 12" | 884 lb. |

[†] Weight without mount and clevis.



UTILITY TRACTORS ORDER INFORMATION AND SPECIFICATIONS

| COMPLETE I | COMPLETE KIT* INCLUDES: Moldboard > Plow Frame > Hydraulic Power Angle/Lift Kit > Universal Mounting Carton | | | | | | | | | | | | |
|----------------------------|---|-------------------------------|--------|---------------|---------------------|---------------------|--------------------|------------------|-----------------|-----------------------|----------|-----------------|---------------------------------|
| Comp | lete | Kit* # | | | | | | | Plow | | Average | | |
| Kit w/ E-58 Hydraulic** | OR | Kit w/ Central Hydraulic** | Model | Blade Type | Moldboard Length | Moldboard Height | Moldboard Gauge | Vertical Ribs | Trip Springs | Steel Cutting Edge | Width at | Angling Rams | Weight [†] Complete |
| 52455 | | 52475 | LP-8.0 | Full-Trip | 8' 0" | 32" | 12 Steel | 6 | 4 | ½" x 6" | 86" | 1½" x 10" | 947 lb. |
| 52465 | | 52485 | LP-9.0 | Full-Trip | 9' 0" | 32" | 12 Steel | 6 | 4 | ½" x 6" | 97" | 1½" x 10" | 984 lb. |

^{**} Must choose between Central Hydraulic or Meyer E-58 Hydraulic to power plow.



SKID STEER ORDER INFORMATION AND SPECIFICATIONS

| COMPLETE KIT* I | NCLUDES: | Moldboa | rd > Plow | Frame > | Hydraulic Po | ower Ang | le Kit > Uni | versal Attach | ment Plate | | |
|-----------------|------------|------------|---------------------|---------------------|--------------------|------------------|----------------------|-----------------------|-----------------------------------|-----------------|---------------------|
| Complete Kit* # | Model | Blade Type | Moldboard Length | Moldboard Height | Moldboard Gauge | Vertical Ribs | Plow Trip Springs | Steel Cutting Edge | Average Width at Full Angle | Angling Rams | Weight† Complete |
| 51120 | LP-7.5 | Full-Trip | 7' 6" | 32" | 12 Steel | 6 | 4 | ½" x 6" | 81" | 1½" x 10" | 661 lb. |
| 51125 | LP-8.0 | Full-Trip | 8' 0" | 32" | 12 Steel | 6 | 4 | ½" x 6" | 86" | 1½" x 10" | 735 lb. |
| 51130 | LP-8.5 | Full-Trip | 8' 6" | 32" | 12 Steel | 6 | 4 | ½" x 6" | 92" | 1½" x 10" | 753 lb. |
| 51135 | LP-9.0 | Full-Trip | 9' 0" | 32" | 12 Steel | 6 | 4 | ½" x 6" | 97" | 1½" x 10" | 772 lb. |
| 51140 | RP-32-9.0 | Full-Trip | 9' 0" | 32" | 10 Steel | 6 | 6 | ½" x 6" | 97" | 2" x 10" | 845 lb. |
| 51145 | RP-32-10.0 | Full-Trip | 10' 0" | 32" | 10 Steel | 6 | 6 | ½" x 6" | 103" | 2" x 10" | 884 lb. |

[†] Weight without mount and clevis. Weights calculated using moldboard and plow kit containing an E-58H hydraulic unit. Subtract 40 lbs when purchasing a plow kit containing central hydraulics only.







TO ORDER, USE THE COMPLETE KIT NUMBER.



COMPACT TRACTOR ORDER INFORMATION AND SPECIFICATIONS

| COMPLETE KIT* | COMPLETE KIT* INCLUDES: Moldboard > Plow Frame > Hydraulic Power Angle Kit > Universal Attachment Plate | | | | | | | | | | | | | |
|-----------------|---|------------|---------------------|---------------------|--------------------|---------------|----------------------|-----------------------|-----------------------------------|-----------------|---------------------|--|--|--|
| Complete Kit* # | Model | Blade Type | Moldboard Length | Moldboard Height | Moldboard Gauge | Vertical Ribs | Plow Trip Springs | Steel Cutting Edge | Average Width at Full Angle | Angling Rams | Weight† Complete | | | |
| 51150 | DE2-7.5 | Trip-Edge | 7'6" | 32.5" | 12 Steel | 6 | 4 | ½" x 6" | 82" | 1½" x 10" | 745 lb. | | | |
| 51155 | DE2-8.0 | Trip-Edge | 8'0" | 32.5" | 12 Steel | 6 | 4 | ½" x 6" | 87" | 1½" x 10" | 762 lb. | | | |
| 51160 | DE2-8.5 | Trip-Edge | 8'6" | 32.5" | 12 Steel | 6 | 4 | ½" x 6" | 92" | 1½" x 10" | 780 lb. | | | |
| 51165 | DE2-9.0 | Trip-Edge | 9'0" | 32.5" | 12 Steel | 6 | 4 | ½" x 6" | 98" | 1½" x 10" | 795 lb. | | | |

[†] Weight without mount and clevis.



UTILITY TRACTORS ORDER INFORMATION AND SPECIFICATIONS

| COMPLET | E KIT* INCLUD | ES: Mo | oldboard | Plow Fra | me > Hyc | draulic Pov | ver Angl | e/Lift Ki | t > Univ | ersal Moun | ting Carton | |
|----------------------------|----------------------------------|---------|------------|---------------------|---------------------|--------------------|------------------|-----------------|-----------------|-----------------------------------|-----------------|---------------------------------|
| Comp | lete Kit* # | | | | | | | Plow | Steel | Avorago | | |
| Kit w/ E-58 Hydraulic** | OR Kit w/ Central Hydraulic** | Model | Blade Type | Moldboard Length | Moldboard Height | Moldboard Gauge | Vertical Ribs | Trip Springs | Cutting Edge | Average Width at Full Angle | Angling Rams | Weight [†] Complete |
| 52495 | 52515 | DE2-8.0 | Trip-Edge | 8'0" | 32.5" | 12 Steel | 6 | 4 | ½" x 6" | 87" | 1½" x 10" | 970 lb. |
| 52505 | 52525 | DE2-9.0 | Trip-Edge | 9'0" | 32.5" | 12 Steel | 6 | 4 | ½" x 6" | 98" | 1½" x 10" | 1,003 lb. |

^{**} Must choose between Central Hydraulic or Meyer E-58 Hydraulic to power plow.



SKID STEER ORDER INFORMATION AND SPECIFICATIONS

| COMPLETE KIT* IN | CLUDES | Moldbo | ard > Pl | ow Frame | > Hydrai | ılic Pow | er Angle | Kit > Un | iversal Atta | chment F | Plate |
|------------------|---------|------------|---------------------|---------------------|--------------------|------------------|----------------------|--------------------------|-----------------------------------|-----------------|---------------------------------|
| Complete Kit* # | Model | Blade Type | Moldboard Length | Moldboard Height | Moldboard Gauge | Vertical Ribs | Plow Trip Springs | Steel Cutting Edge | Average Width at Full Angle | Angling Rams | Weight [†] Complete |
| 51150 | DE2-7.5 | Trip-Edge | 7'6" | 32.5" | 12 Steel | 6 | 4 | ½" x 6" | 82" | 1½" x 10" | 745 lb. |
| 51155 | DE2-8.0 | Trip-Edge | 8'0" | 32.5" | 12 Steel | 6 | 4 | ½" x 6" | 87" | 1½" x 10" | 762 lb. |
| 51160 | DE2-8.5 | Trip-Edge | 8'6" | 32.5" | 12 Steel | 6 | 4 | ½" x 6" | 92" | 1½" x 10" | 780 lb. |
| 51165 | DE2-9.0 | Trip-Edge | 9'0" | 32.5" | 12 Steel | 6 | 4 | ½" x 6" | 98" | 1½" x 10" | 795 lb. |

[†] Weight without mount and clevis.

[†] Weight without mount and clevis. Weights calculated using moldboard and plow kit containing an E-58H hydraulic unit.

Subtract 40 lbs. when purchasing a plow kit containing central hydraulics only.

PLOW ACCESSORIES



Cutting Edges and Curb Guards

Full-trip Steel Cutting Edges — Scientifically designed to meet the demands of a tough environment. Our unique, heat-treated edges meet exacting specifications derived from years of testing to provide long-lasting performance. Pre-drilled, ready for installation. Sold as complete kits or separately as required. Complete kits come with all hardware in order to install.*

Bottom-trip Steel Cutting Edges — Scientifically designed to meet the demands of a tough environment. Our unique, heat-treated edges meet exacting specifications derived from years of testing to provide long-lasting performance. Reversible to extend life; once a side is worn, reverse the cutting edge for extended use. Pre-drilled ready for installation. Cutting edges are sold as complete kits or separately as required. Complete kits come with all hardware in order to install.*

Full-trip Carbide Cutting Edges — Heavy-duty, carbide-tipped cutting edges significantly extend cutting edge life and deliver superior scraping performance. Pre-drilled ready for installation. Sold as complete kits or separately as required. Complete kits come with all hardware in order to install.*

Bottom-trip Rubber Cutting Edge Kit — Rubber cutting edges are designed to eliminate noise while providing maximum protection to decorative surfaces. Our 1.5" thick edge is formulated for long life. Reversible to extend cutting edge life, once a side is worn, reverse the cutting edge for extended use. Pre-drilled ready for installation. Cutting edges are sold as complete kits or separately as required. Complete kits come with all hardware in order to install.*

Bottom-trip Polyurethane Cutting Edge Kit — Provides the rigidity of steel edges and the noise reduction of rubber edges; all while protecting decorative surfaces. Our one-inch thick edge is formulated for long life. Reversible to extend the life, once a side is worn, reverse the cutting edge for extended use. Pre-drilled ready for installation. Cutting edges are sold as complete kits or separately as required. Complete kits come with all hardware in order to install.*

Full-trip Rubber Cutting Edge Kit— Eliminates noise while providing maximum protection to sensitive surfaces. Our 1.5" thick edge is formulated for long life. Reversible to extend cutting edge life, once a side is worn, reverse it for extended use. Pre-drilled ready for installation. Cutting edges are sold as complete kits or separately as required. Complete kits come with all hardware in order to install.*

Full-trip Polyurethane Cutting Edge Kit — Provides the rigidity of steel edges and the noise reduction of rubber edges, while protecting sensitive surfaces. Our one-inch thick edge is formulated for long life. Pre-drilled ready for installation. Cutting edges are sold as complete kits or separately as required. Complete kits come with all hardware in order to install.

See Quick Accessories Guide for exact part numbers on pages 17-20. Visit **www.meyerproducts.com** for current plow accessory information.

Curb Guards — Made with 3/8" steel, easy to install with pre-drilled hole pattern, curved and contoured for a perfect fit. Comes as a set of two (2) and are interchangeable/reversible side to side. Ships with mounting hardware and installation instructions for an easy install.

Part #08344 LP/SV 8.5 and up/DAG

Deflectors

Meyer Heavy-duty Molded Deflectors — Made of rigid polyethylene, deflectors reduce blow-back on the windshield, and accentuate the snow rolling action of the plow. The 45 degree angle end-cut helps throw snow more precisely for a quicker, cleaner

precisely for a quicker, cleaner scrape. Complete deflector kits come ready to install with hardware bag and steel mounting belt.*

Meyer Rubber Snow Deflectors — Made of pliable heavy duty rubber, the deflector keeps snow flume down and away from the windshield and accentuates the snow rolling action of the plow. Complete deflector kits come ready to install with hardware bag and steel mounting belt.*

Meyer Poly Snow Deflectors — Made of pliable poly, the deflector keeps snow flume down and away from the windshield and accentuates the snow rolling action of the plow. Complete deflector kits come ready to install with hardware bag and steel mounting belt.*

Get the Controller That's Right for You

Meyer offers pistol grip, joystick or touchpad controllers that are illuminated for nighttime operation. Each controller can be handheld, mounted on the dash or floor, or use a leg strap, depending on your requirements.

Hands Free Plowing (HFP) Mode – All Meyer pistol grip and joystick controllers feature the HFP mode. When activated, shifting into and out of reverse controls the up/down movement of the moldboard. To activate Back-dragging Mode, press the HFP button once and the moldboard automatically lowers when the vehicle is shifted into reverse and raises when the vehicle is shifted out of reverse. To activate the Forward Plowing Mode press the HFP button a second time and the moldboard automatically raises when the vehicle is shifted into reverse and lowers when the vehicle is shifted out of reverse. To deactivate HFP, press the button a third time.



PLOW ACCESSORIES

Joystick Controller with HFP — Operates Pro Series straight blade plows. HFP allows you to automatically raise or lower the plow. The Meyer Joystick controller employs one button functionality. In addition, this controller features an illuminated joystick and buttons, self diagnostics and is compatible with all Meyer Pro Series plow systems.

Part #22790X Joystick / Part #22265C Leg Strap

Joystick Cradle Mount — Custom designed for the Meyer Joystick Controller. Locks the joystick into place, docking the unit in a safe and useful position. Mounts virtually anywhere on the dashboard or mounts to the Floor Mount (sold separately). Installation is quick and easy. Joystick Cradle Mount comes with mounting tape and hardware for an easy, do-it-yourself install. Part #22799

Pistol Grip Cradle Mount — Custom designed for any Meyer Pistol Grip Controller. Holds the Pistol Grip in place, docking the unit in a safe and useful position. It will mount to the dashboard or Floor Mount (sold separately). Installation is quick and easy. Unit comes with mounting tape and hardware for an easy, do-it-yourself install. Part #22798

Wings/Trip Dampener

Multi-Position Wings-Meyer EZ-Wing™ -

Greatly improve the performance and efficiency of your Lot

Pro moldboard. Each wing can be positioned independently to create a box, scoop or straight blade configuration (up to nine positions) with the pull of a pin. Adds nearly 2.5 feet of overall length to Lot Pro moldboards. Fits all Lot Pro moldboards 7.5' through 10.0'. Installs with no moldboard modification. Comes as a set of two



(2), one each, left and right. Hardware and mounting instructions included.

Part #08380 Multi-Wing For Lot Pro Steel and Poly

Fixed-Position 45 Degree Wings — Extends the moldboard

10" on each side. Fits all Lot Pro moldboards 7.5' through 10.0'. Installs with no moldboard modification. Comes as a set of two (2), one each, left and right. Hardware and mounting instructions included. Part #08375 Fixed-Wing For Lot Pro Steel and Poly



Fixed-Position 45 Degree Wings — Extends the moldboard 10" on each side. Fits all C-Series and ST Steel moldboards 7.5' through 9.0'. Comes as a set of two (2), one each, left and right. Hardware and mounting instructions included. Part #08888 (C, ST)

Box Wings - Converts all steel and poly Lot Pro and AG

moldboards into a push plow. Features reinforced design with heavy-duty rubber cutting edge. Installs with no moldboard modification. Fits all Lot Pro moldboards 7.5' through 10.0'. Comes as a set of two (2), one each, left and right. Hardware and mounting instructions included. Part #08104 (LP, LPP)



Trip-Dampener Kit — Helps cushion the impact of the moldboard's tripping action, both the forward and return actions, without eliminating or diminishing the tripping action which is an integral feature of a full-trip moldboard. Dampening the impact of the tripping action saves wear and tear



on the operator and the vehicle. The Trip-dampening System is easy to install and comes with hardware and installation instructions. (Lot Pro series only)

| Plow Size | Complete Kit* Part # | Left Side Part # | Right Side Part # |
|-----------------------|-------------------------|---------------------|----------------------|
| 7.5 ft. Steel/Poly | 08243 | 08251 | 08252 |
| 8.0 ft. Steel/Poly/SS | 08243 | 08251 | 08252 |
| 8.5 ft. Steel/Poly | 08243 | 08251 | 08252 |
| 9.0 ft. Steel/Poly/SS | 08243 | 08251 | 08252 |

^{*} Complete kit includes left and right.

Accessories

Central Hydraulic Kit — Allows you to plumb the plow directly to the vehicle's hydraulic system. Kit comes complete with two (2) municipal duty angling rams, one (1) lift cylinder and a complete hardware kit and installation instructions. (Hoses provided by installer.)

Part #08897 Full Frame Tractor
Part #08870 Skid Steer/Compact Tractor

Plow Markers — Allow the operator to see the edge of his plow from the cab providing maximum visibility for increased performance and safety. Made from solid tubing, markers are flexible yet durable to withstand the winter environment. Markers are ready to install, no drilling is necessary. Markers are shipped two (2) per set and include all mounting hardware and instructions for easy do-it-yourself installation.

Part #09917 Fits: DP, LP, DE, DE2, AG, DAG, RP series Part #09916 Fits: TM, ST, STL, C, HM series

Part # 09916C Fits: PP series

Driveway Markers — Markers are 4' long, made of sturdy 1/4" fiberglass to withstand winter elements. They are flexible, capable of bending virtually in half, then returning to their original shape. Built in highly reflective fluorescent orange, along with a specialized reflective tape, these markers are highly visible during a storm or after dark. Markers are shipped in a bundle of 100. Part #03240 Driveway Markers

Part #03242 Driveway Marker Insertion Tool Part #03243 Driveway Marker Display Stand



PLOW ACCESSORIES

Oils - Paints - Grease

Meyer Sno-Flo™ Industrial Paint — Our specially formulated paint is designed to improve snowrolling action and withstand the harsh operational environment. Meyer Yellow, Black and White Primer is available in aerosol spray cans (12/case) and Meyer Yellow brushable paint is available in 1 quart cans (4/case) that can be shipped via UPS.

Part #08755 Brush Yellow (4/1qt.cans/UPS) Part #08677 Spray Case Yellow (12cans/case) Part #08676 Spray Case Black (12cans/case)

Meyer M1 Hydraulic Fluid — Keep your hydraulic unit operating at factory specs by using OEM M1 Hydraulic Fluid. Meyer M1 Hydraulic fluid is scientifically formulated to withstand extreme temperatures. Meyer's exclusive additives maximize performance and increase the longevity of the complete operating system. M1 Hydraulic Fluid is guaranteed to perform at temperatures of –40°F. Meyer recommends that you drain the M1 Hydraulic fluid in the spring, fill and store the unit with Hydra-Flush over the summer then refill with new M1 Hydraulic fluid in the fall. Note: using other hydraulic fluids or additives voids your warranty and may permanently damage your unit. Comes in cases of 12 easy pour bottles. Part #15487 (case/12)

Meyer M2 Hydraulic Flush — Keeping your hydraulic unit internally clean is as important as keeping your truck engine clean. Meyer's M2 Hydraulic Flush is designed to scrub the internal components and flush away any impurities that may have developed in the system. Our exclusively designed M2 Flush performs without harming seals, connectors or hydraulic ports. Meyer recommends that you drain the M1 Hydraulic fluid in the spring, fill and store the unit with Hydra-Flush over the summer then refill with new M1 Hydraulic fluid in the fall. Comes in cases of 12 easy pour bottles. Part #15902 (case/12)

Meyer Dielectric Grease — Protect your electrical system from the harsh winter elements with Meyer's dielectric grease. Specially formulated to coat and protect electrical connections from deteriorating elements such as salt and road grime. Meyer recommends coating all electrical connections prior to winter and each time you reconnect to ensure optimal performance. Grease comes one (1) each, 2.7 oz tube. Part #15632

Meyer Coolube — Multipurpose, non-soap based grease provides better lubrication in harsh conditions, higher speeds and lower temperatures. Holds up over a wider temperature range (-40°F to 440°F). Works wet or dry. Sold in cases of 10 tubes; tube fits a standard grease gun. Part #15182

Meyer Chain and Cable Lube — This transparent, heavy-duty dry film lubricant is formulated to lubricate, preserve and protect chains and cables. Once applied, the solvent evaporates leaving behind a film that will not attract dust or wash off. Sold in cases of 12 aerosol cans. Part #15184

Meyer Coolube Aerosol Grease — Has the same features of our standard lube in a convenient spray can. Formulated to remain on metal surfaces longer than ordinary greases. Sold in cases of 12 aerosol cans. Part #15186







| | | | | | | | DP 7'6" | | | | LP 9.0 | |
|----------------------------------|--------|----------|--------|----------|----------|----------|------------|---------|---------|---------|----------|--------|
| DESCRIPTION | PP 50" | PP 60" | PP 72" | DP 5' 0" | DP 6' 0" | DP 6' 8" | SP/DP 7'6" | LP 7.5 | LP 8.0 | LP 8.5 | LPHD 9.0 | LP 10. |
| CUTTING EDGES | | | | | | | | | | | | |
| STEEL COMPLETE KIT | 08297 | 08298 | 08308 | 08172 | 08175 | 08176 | 08178 | 08296 | 08180 | 08182 | 08185 | 08216 |
| STEEL EDGE ONLY | 09337 | 09335 | 09418 | 09319 | 09271 | 09277 | 09796 | 09797 | 09133 | 09134 | 07259 | 07235 |
| HARDWARE ONLY | 08222 | 08222 | 08222 | 08222 | 08222 | 08222 | 08222 | 08222 | 08222 | 08222 | 08223 | 08223 |
| POLY COMPLETE KIT | 08303 | 08304 | 08310 | 08320 | 08116 | 08277 | 08119 | 08119 | 08160 | 08162 | 08164 | 08167 |
| POLY EDGE ONLY | 09367 | 09368 | 09421 | 09424 | 09281 | 12708 | 09224 | 09224 | 09222 | 09221 | 09206 | 09284 |
| STRAP ONLY | 13382 | 13383 | 13430 | 13432 | 13055 | 12707 | 13058 | 13058 | 13060 | 13062 | 13064 | 13066 |
| HARDWARE ONLY | 08224 | 08224 | 08224 | 08224 | 08224 | 08224 | 08224 | 08224 | 08224 | 08224 | 08225 | 08225 |
| RUBBER COMPLETE KIT | 08301 | 08302 | 08309 | 08319 | 08237 | 08236 | 08189 | 08189 | 08190 | 08191 | 08192 | 08193 |
| RUBBER EDGE ONLY | 09365 | 09366 | 09420 | 09423 | 13077 | 13076 | 12436 | 12436 | 12437 | 12438 | 12439 | 12440 |
| HARDWARE ONLY | 08224 | 08224 | 08224 | 08224 | 08224 | 08224 | 08224 | 08224 | 08224 | 08224 | 08225 | 08225 |
| BAR STRAP (V PLOWS ONLY) | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| CARBIDE CUTTING EDGE KIT | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | 08780 |
| CARBIDE CUTTING EDGE ONLY | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | 07198 |
| | | | | | | | | | | | | |
| HARDWARE ONLY | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | 08225 |
| DEFLECTORS MOLDED VIT COMPLETE | N1/2 | A1/A | A1/2 | A1/A | 10000 | 10071 | 10000 | 10000 | 10040 | 10011 | 10040 | 40045 |
| MOLDED KIT COMPLETE | N/A | N/A | N/A | N/A | 12036 | 13071 | 12039 | 12039 | 12040 | 12041 | 12042 | 12043 |
| MOLDED DEFLECTOR | N/A | N/A | N/A | N/A | 12044 | 13072 | 12047 | 12047 | 12048 | 12049 | 12050 | 12051 |
| STRAP ONLY | N/A | N/A | N/A | N/A | 12028 | 12707 | 12487 | 12487 | 12497 | 12498 | 12031 | 12032 |
| HARDWARE ONLY | N/A | N/A | N/A | N/A | 08612 | 08612 | 08614 | 08614 | 08614 | 08614 | 08614 | 08614 |
| RUBBER KIT COMPLETE | N/A | N/A | N/A | 08238 | 08103 | 08107 | 08109 | 08109 | 08111 | 08112 | 08113 | 08114 |
| RUBBER DEFLECTOR | N/A | N/A | N/A | 13087 | 13046 | 13048 | 13050 | 13050 | 13051 | 13052 | 13053 | 13054 |
| STRAP ONLY | N/A | N/A | N/A | 13088 | 12028 | 12707 | 12487 | 12487 | 12497 | 12498 | 12031 | 12032 |
| HARDWARE ONLY | N/A | N/A | N/A | 08612 | 08612 | 08612 | 08614 | 08614 | 08614 | 08614 | 08614 | 08614 |
| POLY KIT COMPLETE | 13368 | 13369 | 13418 | N/A | N/A | N/A | 12078 | 12078 | 12024 | 12025 | 12123 | 12124 |
| POLY DEFLECTOR | 13376 | 13377 | 13429 | N/A | N/A | N/A | 12073 | 12073 | 12009 | 12014 | 12118 | 12119 |
| STRAP ONLY | 13372 | 13373 | 13424 | N/A | N/A | N/A | 12487 | 12487 | 12497 | 12498 | 12031 | 12032 |
| HARDWARE ONLY | 08612 | 08612 | 08612 | N/A | N/A | N/A | 08614 | 08614 | 08614 | 08614 | 08614 | 08614 |
| SHOES | 00012 | 00012 | 00012 | | 1071 | 1071 | 00011 | 00011 | 00011 | 00011 | 00011 | 00011 |
| SHOE EACH, UNLESS NOTED | 09369 | 09369 | 09369 | 09127 | 09127 | 09127 | 09127 | 09362 | 09362 | 09362 | 09362 | 09362 |
| WINGS | 03303 | 03303 | 03303 | 03127 | 03127 | 03121 | 03121 | 03302 | 03302 | 03302 | 03302 | 03302 |
| FIXED 45 DEGREE | N/A | N/A | N/A | N/A | N/A | N/A | N/A | 08375 | 08375 | 08375 | 08375 | 08375 |
| | | | | | | | | | | | | |
| FIXED BOX | N/A | N/A | N/A | N/A | N/A | N/A | N/A | 08104 | 08104 | 08104 | 08104 | 08104 |
| MULTI POSITION | N/A | N/A | N/A | N/A | N/A | N/A | N/A | 08380 | 08380 | 08380 | 08380 | 08380 |
| CURB GUARDS | | | ı | T | ı | ı | 1 | | I | T | | |
| PAIR/KIT | N/A | N/A | N/A | N/A | N/A | N/A | N/A | 08344 | 08344 | 08344 | 08344 | 08344 |
| CONTROLLERS AND HOLDERS | | | 1 | | | | | | I | | | |
| TOUCH PAD | N/A | N/A | N/A | 22154 | 22154 | 22154 | 22154 | 22154 | 22154 | 22154 | 22154 | 22154 |
| JOYSTICK WITH HFP | N/A | N/A | N/A | 22790X | 22790X | 22790X | 22790X | 22790X | 22790X | 22790X | 22790X | 22790X |
| PISTOL GRIP WITH HFP | N/A | N/A | N/A | 22690DC | 22690DC | 22690DC | 22690DC | 22690DC | 22690DC | 22690DC | 22690DC | 22690D |
| PISTOL GRIP DELUXE WITH HFP | N/A | N/A | N/A | 22695DC | 22695DC | 22695DC | 22695DC | 22695DC | 22695DC | 22695DC | 22695DC | 22695D |
| LEG STRAP | N/A | N/A | N/A | 22265C | 22265C | 22265C | 22265C | 22265C | 22265C | 22265C | 22265C | 222650 |
| PISTOL GRIP CRADLE MOUNT | N/A | N/A | N/A | 22798 | 22798 | 22798 | 22798 | 22798 | 22798 | 22798 | 22798 | 22798 |
| JOYSTICK CRADLE MOUNT | N/A | N/A | N/A | 22799 | 22799 | 22799 | 22799 | 22799 | 22799 | 22799 | 22799 | 22799 |
| 45° CRADLE ADAPTER | N/A | N/A | N/A | 22815 | 22815 | 22815 | 22815 | 22815 | 22815 | 22815 | 22815 | 22815 |
| 10" FLOOR MOUNT | N/A | N/A | N/A | 22801 | 22801 | 22801 | 22801 | 22801 | 22801 | 22801 | 22801 | 22801 |
| 20" FLOOR MOUNT | N/A | N/A | N/A | 22844 | 22844 | 22844 | 22844 | 22844 | 22844 | 22844 | 22844 | 22844 |
| PLOW MARKERS | 14/71 | 19/7 | 14/71 | 22077 | LLUTT | | LLUTT | 22077 | LLUTT | | LLUTT | |
| | 09916C | 09916C | 09916C | 09917 | 00017 | 09917 | 00017 | 00017 | 00017 | 00017 | 00017 | 00017 |
| 2 PER PACK | 099100 | 1 099100 | 099100 | 09917 | 09917 | 0991/ | 09917 | 09917 | 09917 | 09917 | 09917 | 09917 |
| CART | A1/4 | N//* | B// 0 | 0140 00 | 0145 55 | 0145 55 | N/A | NI/A | N1/2 | N./* | N/A | **** |
| DRIVE PRO | N/A | N/A | N/A | QMB-DP | QMB-DP | QMB-DP | N/A | N/A | N/A | N/A | N/A | N/A |
| EZ MOUNT PLUS & MDII | N/A | N/A | N/A | N/A | N/A | N/A | QMB-JB | QMB-JB | QMB-JB | QMB-JB | QMB-JB | QMB-JE |
| EZ MOUNT PLUS & MDII LIFT FRAME | N/A | N/A | N/A | N/A | N/A | N/A | QME-JB | QME-JB | QME-JB | QME-JB | QME-JB | QME-JE |
| EZ MOUNT CLASSIC | N/A | N/A | N/A | N/A | N/A | N/A | QMB-ST | QMB-ST | QMB-ST | QMB-ST | QMB-ST | QMB-S |
| EZ MOUNT CLASSIC LIFT FRAME | N/A | N/A | N/A | N/A | N/A | N/A | QME-ST | QME-ST | QME-ST | QME-ST | QME-ST | QME-S |
| PAINT | | | | | | | | | | | | |
| BRUSH YELLOW (4-1 QT. CANS/CASE) | 08755 | 08755 | 08755 | 08755 | 08755 | 08755 | 08755 | 08755 | 08755 | 08755 | 08755 | 08755 |
| SPRAY CASE YELLOW (12 CANS/CASE) | 08677 | 08677 | 08677 | 08677 | 08677 | 08677 | 08677 | 08677 | 08677 | 08677 | 08677 | 08677 |
| | | | | 1 | | 1 | | | | 1 | | |

| PRO SERIES PLOWS | Diamona | _0.90 | | | | | | |
|---|---------|---------|---------|----------|----------|----------|---------|---------|
| DESCRIPTION | DE2 7.5 | DE2 8.0 | DE2 8.5 | DE2 9.0 | DE 7.5 | DE 8.0 | DE 8.5 | DE 9.0 |
| CUTTING EDGES | | | | | | | | |
| STEEL COMPLETE KIT | 08179 | 08181 | 08183 | 08215 | 08179 | 08181 | 08183 | 08215 |
| STEEL EDGE ONLY | 84127 | 84128 | 84129 | 84130 | 84127 | 84128 | 84129 | 84130 |
| HARDWARE ONLY | 08223 | 08223 | 08223 | 08223 | 08223 | 08223 | 08223 | 08223 |
| POLY COMPLETE KIT | 08159 | 08161 | 08163 | 08165 | 08159 | 08161 | 08163 | 08165 |
| POLY EDGE ONLY | 09202 | 09203 | 09204 | 09301 | 09202 | 09203 | 09204 | 09301 |
| STRAP ONLY | 13059 | 13061 | 13063 | 13065 | 13059 | 13061 | 13063 | 13065 |
| HARDWARE ONLY | 08225 | 08225 | 08225 | 08225 | 08225 | 08225 | 08225 | 08225 |
| RUBBER COMPLETE KIT | 08218 | 08219 | 08220 | 08221 | 08218 | 08219 | 08220 | 08221 |
| RUBBER EDGE ONLY | 09308 | 09309 | 09310 | 09311 | 09308 | 09309 | 09310 | 09311 |
| HARDWARE ONLY | 08225 | 08225 | 08225 | 08225 | 08225 | 08225 | 08225 | 08225 |
| BAR STRAP (V PLOWS ONLY) | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| CARBIDE CUTTING EDGE KIT | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| CARBIDE CUTTING EDGE ONLY | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| HARDWARE ONLY | | | | | | | | |
| | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| DEFLECTORS MOLDED VIT COMPLETE | 40000 | 40040 | 40041 | 40040 | 40000 | 40040 | 40046 | 40045 |
| MOLDED KIT COMPLETE | 12039 | 12040 | 12041 | 12042 | 12039 | 12040 | 12041 | 12042 |
| MOLDED DEFLECTOR | 12047 | 12048 | 12049 | 12050 | 12047 | 12048 | 12049 | 12050 |
| STRAP ONLY | 12487 | 12497 | 12498 | 12031 | 12487 | 12497 | 12498 | 12031 |
| HARDWARE ONLY | 08614 | 08614 | 08614 | 08614 | 08614 | 08614 | 08614 | 08614 |
| RUBBER KIT COMPLETE | 08109 | 08111 | 08112 | 08113 | 08109 | 08111 | 08112 | 08113 |
| RUBBER DEFLECTOR | 13050 | 13051 | 13052 | 13053 | 13050 | 13051 | 13052 | 13053 |
| STRAP ONLY | 12487 | 12497 | 12498 | 12031 | 12487 | 12497 | 12498 | 12031 |
| HARDWARE ONLY | 08614 | 08614 | 08614 | 08614 | 08614 | 08614 | 08614 | 08614 |
| POLY KIT COMPLETE | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| POLY DEFLECTOR | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| Strap only | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| HARDWARE ONLY | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| SHOES | | l. | | <u> </u> | <u> </u> | <u>I</u> | | |
| SHOE EACH, UNLESS NOTED | 09930 | 09930 | 09930 | 09930 | 84040 | 84040 | 84040 | 84040 |
| WINGS | | | 11111 | | | | | |
| FIXED 45 DEGREE | 08110 | 08110 | 08110 | 08110 | N/A | N/A | N/A | N/A |
| FIXED BOX | 08104 | 08104 | 08104 | 08104 | N/A | N/A | N/A | N/A |
| MULTI POSITION | 08115 | 08115 | 08115 | 08115 | N/A | N/A | N/A | N/A |
| CURB GUARDS | 00113 | 00113 | 00113 | 00113 | IVA | IVA | IVA | 19/75 |
| PAIR/KIT | 00244 | 00044 | 00044 | 00044 | 00044 | 00044 | 00244 | 00044 |
| · · | 08344 | 08344 | 08344 | 08344 | 08344 | 08344 | 08344 | 08344 |
| CONTROLLERS AND HOLDERS | 20151 | 20151 | 20151 | 20151 | 20151 | 20151 | 20151 | 20151 |
| TOUCH PAD | 22154 | 22154 | 22154 | 22154 | 22154 | 22154 | 22154 | 22154 |
| JOYSTICK WITH HFP | 22790X | 22790X | 22790X | 22790X | 22790X | 22790X | 22790X | 22790X |
| PISTOL GRIP WITH HFP | 22690DC | 22690DC | 22690DC | 22690DC | 22690DC | 22690DC | 22690DC | 22690D0 |
| PISTOL GRIP DELUXE WITH HFP | 22695DC | 22695DC | 22695DC | 22695DC | 22695DC | 22695DC | 22695DC | 22695D0 |
| LEG STRAP | 22265C | 22265C | 22265C | 22265C | 22265C | 22265C | 22265C | 22265C |
| PISTOL GRIP CRADLE MOUNT | 22798 | 22798 | 22798 | 22798 | 22798 | 22798 | 22798 | 22798 |
| JOYSTICK CRADLE MOUNT | 22799 | 22799 | 22799 | 22799 | 22799 | 22799 | 22799 | 22799 |
| 45° CRADLE ADAPTER | 22815 | 22815 | 22815 | 22815 | 22815 | 22815 | 22815 | 22815 |
| 10" FLOOR MOUNT | 22801 | 22801 | 22801 | 22801 | 22801 | 22801 | 22801 | 22801 |
| 20" FLOOR MOUNT | 22844 | 22844 | 22844 | 22844 | 22844 | 22844 | 22844 | 22844 |
| PLOW MARKERS | | | | | | | | |
| PER PACK | 09917C | 09917C | 09917C | 09917C | 09917 | 09917 | 09917 | 09917 |
| CART | | | | | | | | |
| DRIVE PRO | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| EZ MOUNT PLUS & MDII | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| EZ MOUNT PLUS & MDII LIFT FRAME | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| EZ MOUNT CLASSIC | QMB-ST | QMB-ST | QMB-ST | QMB-ST | QMB-ST | QMB-ST | QMB-ST | QMB-ST |
| EZ MOUNT CLASSIC EZ MOUNT CLASSIC LIFT FRAME | QME-ST | QME-ST | QME-ST | QME-ST | QME-ST | QME-ST | QME-ST | QME-ST |
| | | | | | | | | |
| / PLOW - VECTOR & SUPER V SERIES | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| PAINT | 00777 | 0075- | 00757 | 2075- | 20755 | 2075- | 00755 | |
| BRUSH YELLOW (4-1QT. CANS/CASE) | 08755 | 08755 | 08755 | 08755 | 08755 | 08755 | 08755 | 08755 |
| | | | | | | | | |
| SPRAY CASE YELLOW (12 CANS/CASE) | 08677 | 08677 | 08677 | 08677 | 08677 | 08677 | 08677 | 08677 |

| DESCRIPTION | PP 50" | PP 60" | PP 72" | DP 5' 0" | DP 6' 0" | DP 6' 8" | DP 7' 6" | DPP 7' 6" | LP 7.5 | LP 8.0 | LP 8.5 | LP 9.0 | LP 10.0 |
|--|--------|--------|------------|----------|----------|----------|----------|-----------|--------|--------|--------|--------|---------|
| GREASE AND OIL | | | 1 | | | r | | | | | r | | ı |
| HYDRAULIC FLUID, QUART (12 CASE) | 15487 | 15487 | 15487 | 15487 | 15487 | 15487 | 15487 | 15487 | 15487 | 15487 | 15487 | 15487 | 15487 |
| HYDRAULIC FLUSH, QUART (12 CASE) | 15902 | 15902 | 15902 | 15902 | 15902 | 15902 | 15902 | 15902 | 15902 | 15902 | 15902 | 15902 | 15902 |
| DIELECTRIC GREASE | 15632 | 15632 | 15632 | 15632 | 15632 | 15632 | 15632 | 15632 | 15632 | 15632 | 15632 | 15632 | 15632 |
| COOLUBE GREASE - CARTRIDGE | 15182 | 15182 | 15182 | 15182 | 15182 | 15182 | 15182 | 15182 | 15182 | 15182 | 15182 | 15182 | 15182 |
| CHAIN AND CABLE LUBE - AEROSOL | 15184 | 15184 | 15184 | 15184 | 15184 | 15184 | 15184 | 15184 | 15184 | 15184 | 15184 | 15184 | 15184 |
| COOLUBE GREASE - AEROSOL | 15186 | 15186 | 15186 | 15186 | 15186 | 15186 | 15186 | 15186 | 15186 | 15186 | 15186 | 15186 | 15186 |
| SPRINGS | | | | | | | | | | | | | |
| EACH | 13286 | 13286 | 13286 | 12978 | 12978 | 12978 | 07178 | 07178 | 07017 | 07017 | 07017 | 07017 | 07017 |
| WINCH CRADLE | | | | | | | | | | | | | |
| EZ MOUNT CLASSIC FOR TM JEEP | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| EZ MOUNT CLASSIC FOR TM SERIES | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| EZ-MOUNT CLASSIC | N/A | N/A | N/A | N/A | N/A | N/A | 16528 | 16528 | 16528 | 16528 | 16528 | 16528 | 16528 |
| EZ MOUNT PLUS OR MDII | N/A | N/A | N/A | N/A | N/A | N/A | 16529 | 16529 | 16529 | 16529 | 16529 | 16529 | 16529 |
| 2"X2" RECIEVER HITCH - REAR | N/A | N/A | N/A | 16542 | 16542 | 16542 | 16542 | 16542 | 16542 | 16542 | 16542 | 16542 | 16542 |
| BRUSH GUARD | | | | | | | | | | | | | |
| EZ MOUNT CLASSIC FULL FRAME | N/A | N/A | N/A | N/A | N/A | N/A | 11558 | 11558 | 11558 | 11558 | 11558 | 11558 | 11558 |
| EZ MOUNT CLASSIC WITH TM 11275 LIFT FRAME | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| EZ MOUNT CLASSIC WITH JEEP TM 11545 LIFT FRAME | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| EZ MOUNT PLUS | N/A | N/A | N/A | N/A | N/A | N/A | 08300 | 08300 | 08300 | 08300 | 08300 | 08300 | 08300 |
| CENTRAL HYDRAULICS | - | | | | | | | | | | | | |
| FULL FRAME TRACTOR | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | 08897 | 08897 | 08897 | 08897 | 08897 |
| COMPACT TRACTOR/SKID STEER | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | 08870 | 08870 | 08870 | 08870 | 08870 |
| LIFT AND MANUAL RAM KITS | | | 1 4111 | 1,111 | | 1911 | 1911 | | | | | | |
| MANUAL RAM (SKID STEERS, TRACTORS) | N/A | N/A | N/A | 08872 | 08872 | 08872 | 08872 | 08872 | 08872 | 08872 | 08872 | 08872 | 08872 |
| HYDRAULIC LIFT (TRACTORS) | N/A | N/A | N/A | 08299 | 08299 | 08299 | 08299 | 08299 | 08299 | 08299 | 08299 | 08299 | 08299 |
| HYDRAULIC UNIT | | | 1071 | 00200 | 00200 | 00200 | 00200 | 00200 | 00200 | 00200 | 00200 | 00200 | 00200 |
| STANDARD STRAIGHT BLADE UNIT | N/A | N/A | N/A | 15995 | 15995 | 15995 | 15995 | 15995 | 15995 | 15995 | 15995 | 15995 | 15995 |
| OUT FRONT UNIT (ROAD PRO) | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| SUPER V | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| MEYER EQUIPMENT LOCK | N/A | N/A | N/A N/A | - | | | 07695 | | 07695 | 07695 | | 07695 | |
| | IVA | I IVA | IVA | 07695 | 07695 | 07695 | 07090 | 07695 | 07093 | 07690 | 07695 | 07693 | 07695 |
| HYDRAULIC COVER | NI/A | N/A | N/A | 45000 | 45000 | 45000 | 45000 | 45000 | 45000 | 45000 | 45000 | 45000 | 45000 |
| E-58 COVER | N/A | N/A | N/A | 15630 | 15630 | 15630 | 15630 | 15630 | 15630 | 15630 | 15630 | 15630 | 15630 |
| E-58 LOCKING STRAP | N/A | N/A | N/A | 15631 | 15631 | 15631 | 15631 | 15631 | 15631 | 15631 | 15631 | 15631 | 15631 |
| E-70 | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| V-70 COVER | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| V-70 LOCKNG STRAP | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| V-71 COVER | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| V-71 LOCKING STRAP | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A |
| E-72 COVER | N/A | N/A | N/A | N/A | N/A | N/A | 15645 | 15645 | 15645 | 15645 | 15645 | 15645 | 15645 |
| E-72 LOCKING STRAP | N/A | N/A | N/A | N/A | N/A | N/A | 16534 | 16534 | 16534 | 16534 | 16534 | 16534 | 16534 |
| LIGHTS | | | | | | | | | | | | | |
| LIGHTS ONLY, NITE SABER II (PAIR) | N/A | N/A | N/A | 07549 | 07549 | 07549 | 07549 | 07549 | 07549 | 07549 | 07549 | 07549 | 07549 |
| LIGHTS AND MODULES, NITE SABER II (NEW INSTALLATION) | N/A | N/A | N/A | 07550 | 07550 | 07550 | 07550 | 07550 | 07550 | 07550 | 07550 | 07550 | 07550 |
| LIGHTS ONLY, NITE SABER I (PAIR) | N/A | N/A | N/A | 07305 | 07305 | 07305 | 07305 | 07305 | 07305 | 07305 | 07305 | 07305 | 07305 |
| LIGHTS AND MODULES, NITE SABER I (NEW INSTALLATION) | N/A | N/A | N/A | 07234 | 07234 | 07234 | 07234 | 07234 | 07234 | 07234 | 07234 | 07234 | 07234 |
| FENDER MOUNTING BRACKETS, ROAD PRO & HM SERIES; 2 REQ'D | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | N/A | 19168 |

| DESCRIPTION | DE /DE2 7.5 | DE /DE2 8.0 | DE /DE2 8.5 | DE /DE2 9.0 |
|--|----------------|----------------|----------------|----------------|
| REASE AND OIL | | | | |
| YDRAULIC FLUID, QUART (12 CASE) | 15487 | 15487 | 15487 | 15487 |
| YDRAULIC FLUSH, QUART (12 CASE) | 15902 | 15902 | 15902 | 15902 |
| IELECTRIC GREASE | 15632 | 15632 | 15632 | 15632 |
| OOLUBE GREASE - CARTRIDGE | 15182 | 15182 | 15182 | 15182 |
| HAIN AND CABLE LUBE - AEROSOL | 15184 | 15184 | 15184 | 15184 |
| OOLUBE GREASE - AEROSOL | 15186 | 15186 | 15186 | 15186 |
| PRINGS | · | | | |
| ACH | 07017 | 07017 | 07017 | 07017 |
| VINCH CRADLE | <u> </u> | | | |
| Z MOUNT CLASSIC FOR TM JEEP | N/A | N/A | N/A | N/A |
| Z MOUNT CLASSIC FOR TM SERIES | N/A | N/A | N/A | N/A |
| Z-MOUNT CLASSIC | 16528 | 16528 | 16528 | 16528 |
| Z MOUNT PLUS OR MDII | 16529 | 16529 | 16529 | 16529 |
| "X2" RECIEVER HITCH - REAR | 16542 | 16542 | 16542 | 16542 |
| RUSH GUARD | | | | |
| MOUNT CLASSIC FULL FRAME | N/A | N/A | N/A | N/A |
| Z MOUNT CLASSIC WITH TM 11275 LIFT FRAME | N/A | N/A | N/A | N/A |
| 7 MOUNT CLASSIC WITH JEEP TM 11545 LIFT FRAME | N/A | N/A | N/A | N/A |
| MOUNT PLUS | 08300 | 08300 | 08300 | 08300 |
| ENTRAL HYDRAULICS | <u>'</u> | | | |
| JLL FRAME TRACTOR | 08897 | 08897 | 08897 | 08897 |
| OMPACT TRACTOR/SKID STEER | 08870 | 08870 | 08870 | 08870 |
| FT AND MANUAL RAM KITS | | | | |
| IANUAL RAM (SKID STEERS, TRACTORS) | 08872 | 08872 | 08872 | 08872 |
| /DRAULIC LIFT (TRACTORS) | 08229 | 08229 | 08229 | 08229 |
| YDRAULIC UNIT | · · | | | |
| TANDARD STRAIGHT BLADE UNIT | 15995 | 15995 | 15995 | 15995 |
| UT FRONT UNIT (ROAD PRO) | N/A | N/A | N/A | N/A |
| JPER V | N/A | N/A | N/A | N/A |
| EYER EQUIPMENT LOCK | 07695 | 07695 | 07695 | 07695 |
| YDRAULIC COVER | | | | |
| 58 COVER | 15630 | 15630 | 15630 | 15630 |
| 58 LOCKING STRAP | 15631 | 15631 | 15631 | 15631 |
| 70 | N/A | N/A | N/A | N/A |
| 70 COVER | N/A | N/A | N/A | N/A |
| -70 LOCKING STRAP | N/A | N/A | N/A | N/A |
| -71 COVER | N/A | N/A | N/A | N/A |
| 71 LOCKING STRAP | N/A | N/A | N/A | N/A |
| 72 COVER | 15645 | 15645 | 15645 | 15645 |
| 72 LOCKING STRAP | 15634 | 15634 | 15634 | 15634 |
| GHTS | | | | |
| GHTS ONLY, NITE SABER II (PAIR) | 07549 | 07549 | 07549 | 07549 |
| GHTS AND MODULES, NITE SABER II (NEW INSTALLATION) | 07550 | 07550 | 07550 | 07550 |
| GHTS ONLY, NITE SABER I (PAIR) | 07305 | 07305 | 07305 | 07305 |
| GHTS AND MODULES, NITE SABER I (NEW INSTALLATION) | 07234 | 07234 | 07234 | 07234 |
| NDER MOUNTING BRACKETS, ROARD PRO & HM SERIES; 2 REQ'D | N/A | N/A | N/A | N/A |

SPREADERS FOR YOUR OFF-ROAD VEHICLE

If it has four wheels, we have the spreader for it.



ATV Spreader

Economical, full-functioning spreader that fits most ATVs using a universal mount.

FEATURES:

- Poly hopper construction for long life
- Internal filtering screen breaks up large chunks
- Poly weather cap keeps material dry
- · Adjustable salt shield for spread pattern adjustment
- · Elevated motor ensures reliable performance
- · Impeller spinner shaft spreads material exactly where you need it

SPECS:

Capacity: 128 lbs.

Materials: Bagged rock salt. free-flowing granular material **Construction**: Polyethylene hopper Spread Width: 1.09-3.28 vds.

Warranty: 1 year



UTV Spreader

Low profile design is perfect for UTVs and is powered by a powerful 12V electric motor.

FEATURES:

- Stainless steel construction for long life
- Internal and external baffles for exact material placement
- Belt over chain material delivery system precise material flow
- Slot and tab construction is stronger and more precise fit

Part #s 63394 (.3 cubic yds.); 63395 (11.5 cubic ft.)

SPECS:

Capacity: .3 cu yds, 11.5 cu yds. Materials: salt. 50/50 salt-sand and

sand, seed, fertilizer

Construction: Polyethylene hopper Spread Width: 1.09-3.28 yds.

Warranty: 1 year



Blaster 350S Part# 37000 with vibrator kit



UTV/Tractor Spreaders

Blaster and BL Spreaders are perfect for small to medium size jobs. They attach to any utility vehicle using a 5cm receiver hitch.

FEATURES:

- Polyurethane construction resists corrosion
- · Variable speed controller minimizes material usage
- · Multiple auger options available
- Powerful direct drive motor grinds through chunks of material
- Locking straps keep moisture and contamination out of the hopper

Part # 36500 – 3-point hitch mount fits:

BL Series (240 & 400) and Blasters (350 & 750R)

SPFCS:

Capacity: 6.3 cu ft., 6.5 cu ft. Materials: salt, 50/50 salt-sand

and sand

Construction: Polyethylene hopper Spread Width: 1.09 - 8.31 yds. Warranty: 1 year BL-series;

3/5 Blaster series



Tractor Spreader

Turns tractors into high performance salt spreading machines. Strap mounts allows for easy installation and removal from vehicle.

FEATURES:

- Polyurethane construction resists corrosion
- Direct drive motor grinds through chinks of material
- Locking straps keep material dry
- · Variable speed controller minimizes material usage

Part #s 38000 (Mate) 38200 (Mate 3-point hitch)

SPECS:

Capacity: 882 lbs.

Materials: salt, calcium chloride

Construction: Polyethylene hopper **Spread Width**: 1.09 - 9.84 yds.

Warranty: 1 year

MEYER OFF-ROAD VEHICLE PRODUCT GUIDE | 2015







Meyer Products LLC

18513 Euclid Ave. Cleveland, Ohio 44112 Phone: 216-486-1313 Fax: 216-486-1321

Meyer Snow Plows are protected by one or more of the following patents: 8006413, D0507999 S, D05179635, 8453358, 8695238, 7,918,042 B2, CA 2,677,509 C, D0517963 S, EP 1,989,402 B1, ES 2,346,587, 6138388, 7,591,087 B2, 7,661,211 B2, 7,793,440 B1, 8739437, 8793906, CA 2,604,085C, 6384042, 6276075, 6,318,975 B1, 6564479, 6256909, 6594923, 6618964, 7114270, 7117617, 7290359, D399326 S, CA 2,300.012 C, CA 2,314,772 C, CA 2,316,163 C, CA 2,370,925 C, CA 2,455,637 C, CA 2,653,801 C, CA 2,648,565 EP 1,010,809, 7353628, 6153975, 6273729, CA 2,260,509 C, CA 2,282,045 C, CA 2,293,858 C, CA 2,298,243 C, 6265829, 6015219, 6005300, 6163985.

Meyer Spreaders are protected by one or more of the following patents: 6698997, CA 2,415,540 C, 7588195, 8448882, 8505837, 8523086, 8657208, 6186731, 6,793,154 B2, 6722590, 6715703, 6978952, 6932287, 8505838, 8827002, 5842649, CA 2,435,106 C, 6364598.

www.meyerproducts.com