



# Knock Snow into the Next Zip Code




The **Meyer® Road Pro™ Series** is perfectly designed to fit 9,300 - 33,000 GVW chassis cab trucks for municipal applications. Available in 8', 9', 10' and 11' lengths, there's a Road Pro that's the right size to clear parking lots, side streets, back roads or municipal streets.

**Fits 9,300–33,000 GVW Vehicles**



# Road Pro 32-Series (9,300–26,000 GVW Vehicles)



The **Road Pro 32-Series** is specifically designed for **9,300–26,000 GVW** vehicles and features Meyer's EZ-Mount Plus system. The Road Pro 32-Series features Ground Tracking Technology™ which allows the plow to stay engaged with uneven surfaces. It's perfect for clearing **side streets, parking lots or cul-de-sacs** in just one pass. All Road Pro plows feature a full five-year warranty.

- 8 Vertical Ribs**
- 32" Height**
- Six Heavy-Duty Trip Springs**
- Adjustable Jack**
- Aggressive 75° Attack Angle**
- Heavy-Duty 2" x 10" Hydraulic Rams**
- Adjustable Snow Shoes to Set Scraping Height**
- Heavy-Duty A-Frame and Pivot Bar available with EZ-Mount Plus (shown) or custom mounts.**
- Heavy-Duty Bracing and Tubular Construction for Added Strength**



## Features



Allows the plow to automatically pivot up to 12° and stay engaged with uneven surfaces, so you can clean in just one pass. Ground Tracking Technology also allows the plow to remain level during transport and keeps the mount straight when mounting/dismounting on uneven surfaces.

## We Have the Control to Meet Your Needs



Meyer's EZ-1 controller features Hands-Free Plowing (HFP) to reduce effort and increase performance and safety. When activated, HFP uses the vehicle's shift lever to control the up/down movement of the blade.

## Available Hydraulics



**EZ-Mount Plus System**  
Attaches/detaches in seconds by pulling two handles. EZ-Mount systems are fleet-friendly because moldboards and controllers are interchangeable.



**E-72 Hydraulic System**  
Includes five-year warranty.



**Central Hydraulics**  
Plumbs directly to the vehicle's hydraulic system. Part #08878

# Road Pro 36-Series (26,000–33,000 GVW Vehicles)



Road Pro 36-Series plows are designed to fit on **26,000–33,000 GVW** vehicles and are built to take on the abuse that **municipal roads** dish out. The Road Pro's unique design eliminates wear and tear on the vehicle and operator. All Road Pro plows feature a full five-year warranty.

36" Height

8 Vertical Ribs

Six Heavy-Duty Trip Springs

Adjustable Jack

Heavy-Duty 2 1/2" x 11 1/2" Hydraulic Rams

Heavy-Duty A-Frame with Custom Mounting System

Adjustable Snow Shoes to Set Scraping Height (optional)



## Features



### Oscillating Moldboard

Our unique pivot design allows the Road Pro to automatically oscillate five degrees on each side to follow the contour of the road so more snow can be cleared in less time. The unique design also keeps the moldboard level when transporting.


### Bottom-trip or Full-trip Moldboards Available



Bottom-trip available on RPDE-10 only.



We Have the Control to Meet Your Needs



Meyer's EZ-1 controller features Hands-Free Plowing (HFP) to reduce effort and increase performance and safety. When activated, HFP uses the vehicle's shift lever to control the up/down movement of the blade. Double click a function button (up, down, left, right) and the plow will automatically perform that task without continuously depressing the button.

## Available Hydraulics



### E-70 Out-Front Hydraulic System

Allows you to add a plow to vehicles that do not have central hydraulics. Part #15825



### Central Hydraulics

Allows the plow to be plumbed directly to the vehicle's hydraulic system making it easy to install and maintain. Part #15853

# Meyer Municipal Spreaders are the Perfect Addition for Your Snow and Ice Control Needs



## Undertailgate Spreaders (UTG)

Spreads salt, sand or salt/sand up to 40 feet using your existing dump truck. It features electric or hydraulic drives and adjustable, left, right or center spread patterns. Available in 88" or 96" body widths.

## V-Box Spreaders

Features a 2 – 5.5 cu. yd. capacity for spreading salt, sand or salt/sand. Internal and external baffles spread material exactly where you want it. Available in 8', 9' and 10' lengths.

## Replaceable Tailgate Spreaders (RTG)

Use in place of your existing dump truck tailgate to spread salt, sand or salt/sand up to 40 feet. It features an electric drive and adjustable, left, right or center spread patterns. Available in body widths from 78" – 90".



## Meyer® Road Pro 32-Series Specifications for 9,300–26,000 GVW Vehicles

Model #	Blade Type	Moldboard Length	Moldboard Height	Moldboard Gauge	Vertical Ribs	Plow Trip Springs	Cutting Edge	Average Width at Full Angle	Angling Rams	Weight* Complete
RP80-32	Full-Trip	8'	32"	10 Steel	8	6	1/2" x 6"	86"	2" x 10"	907 lb.
RP90-32	Full-Trip	9'	32"	10 Steel	8	6	1/2" x 6"	97"	2" x 10"	951 lb.
RP10-32	Full-Trip	10'	32"	10 Steel	8	6	1/2" x 6"	108"	2" x 10"	966 lb.

\*Weight without options.

## Meyer® Road Pro 36-Series Specifications for 26,000–33,000 GVW Vehicles

Model #	Blade Type	Moldboard Length	Moldboard Height	Moldboard Gauge	Vertical Ribs	Plow Trip Springs	Cutting Edge	Average Width at Full Angle	Angling Rams	Weight* Complete
RP90-36	Full-Trip	9'	36"	10 Steel	8	6	1/2" x 6"	93"	2 1/2" x 11 1/2"	1562 lb.
RP10-36	Full-Trip	10'	36"	10 Steel	8	6	1/2" x 6"	104"	2 1/2" x 11 1/2"	1610 lb.
RPP10-36	Full-Trip	10'	36"	3/8" Poly	8	6	1/2" x 6"	104"	2 1/2" x 11 1/2"	1590 lb.
RPDE10-36	Bottom-Trip	10'	36"	10 Steel	8	6	3/4" x 6"	104"	2 1/2" x 11 1/2"	1850 lb.
RP11-36	Full-Trip	11'	36"	10 Steel	8	6	3/4" x 6"	114"	2 1/2" x 11 1/2"	1660 lb.

Meyer Snow Plows are protected by one or more of the following patents: 8006413, D0507999 S, D05179635, 8453358, 8695238, 7,918,042 B2, CA 2,677,509 C, D0517963 S, EP 1,989,402 B1, ES 2,346,587, 6138388, 7,591,087 B2, 7,661,211 B2, 7,793,440 B1, 8739437, 8793906, CA 2,604,085C, 6354024, 6276075, 6,318,975 B1, 6564479, 6256909, 6594923, 6618964, 7114270, 7117617, 7290359, D399326 S, CA 2,300,012 C, CA 2,314,772 C, CA 2,331,653 C, CA 2,370,925 C, CA 2,455,637 C, CA 2,653,801 C, CA 2,654,856, EP 1,010,809, 7353628, 6153975, 6273729, CA 2,260,509 C, CA 2,282,045 C, CA 2,293,858 C, CA 2,298,243 C, 6265829, 6015219, 6005300, 6163985.

Meyer Spreaders are protected by one or more of the following patents: 6698997, CA 2,415,540 C, 7588195, 8448882, 8505837, 8523086, 8657208, 6186731, 6,793,154 B2, 6722590, 6715703, 6978952, 6932287, 8505838, 8827002, 5842649, CA 2,435,106 C, 6364598.

\*Weight without options.



For a complete list of Road Pro Series accessories, visit [www.meyerproducts.com](http://www.meyerproducts.com)

Meyer Products LLC reserves the right under its continuing product improvement program to change construction or design details and specifications without incurring any obligation.

Meyer Products / 18513 Euclid Ave. / Cleveland, Ohio 44112 / 216-486-1313 / Fax 216-486-1321

© 2015 Meyer Products, LLC

FORM# 3-578 R2

[www.meyerproducts.com](http://www.meyerproducts.com)

1015PDF